SHIMURA CURVES WITHIN THE LOCUS OF HYPERELLIPTIC JACOBIANS IN GENUS THREE

SAMUEL GRUSHEVSKY AND MARTIN MÖLLER

ABSTRACT. We construct an infinite number of Shimura curves contained in the locus of hyperelliptic Jacobians of genus 3. In the opposite direction, we show that in genus 3 the only possible noncomplete (in the moduli space of abelian threefolds) Kuga curves contained in the hyperelliptic locus have the same degeneration data as that of the examples we construct.

The locus of genus 3 hyperelliptic Jacobians is a divisor within the moduli space of principally polarized abelian threefolds, and our result demonstrates the techniques we develop more generally for dealing with Shimura curves contained within a divisor in the moduli space of abelian varieties.

1. Introduction

Working over the field of complex numbers, we denote by \mathcal{A}_g the moduli stack of principally polarized complex abelian varieties (ppav). An algebraic subvariety $C \to \mathcal{A}_g = Sp_{2g}(\mathbb{Z}) \backslash Sp_{2g}(\mathbb{R}) / U(g)$ is called a *Shimura subvariety* if the inclusion is induced by a homomorphism $G \to Sp_{2g}(\mathbb{R})$ for some algebraic group G and if, moreover, C contains a complex multiplication (CM) point. Without the CM point assumption, the universal family of C is called a *Kuga fiber space* and so we refer to the subvariety $C \to \mathcal{A}_g$ as *Kuga variety*. In particular a one-dimensional such subvariety is called a *Shimura curve* (resp. *Kuga curve*).

We denote \mathcal{M}_g the moduli stack of smooth curves of genus g, and recall that taking the Jacobian of a smooth curve defines the Torelli morphism $\mathcal{M}_g \to \mathcal{A}_g$, which is injective as a map of coarse moduli spaces. There is the following well-known conjecture:

Conjecture 1.1. For g sufficiently large there does not exist a Shimura subvariety of A_g generically contained in the locus of Jacobians of smooth curves.

Research of the first author is supported in part by National Science Foundation under the grant DMS-12-01369.

Research of the second author is supported in part by ERC-StG 257137.

We refer to the comprehensive recent survey [MO10] of Moonen and Oort for the history, motivation, applications, and further discussion of this problem.

While at the moment we cannot address this general problem, in this paper we develop some techniques for studying this problem for non-complete Kuga (or Shimura) curves. The techniques we use to study Kuga curves are by degeneration of modular forms on suitable toroidal compactifications $\overline{\mathcal{A}}_g$ of \mathcal{A}_g , and explicit constructions. The results we obtain are for the locus Hyp₃ of Jacobians of smooth hyperelliptic curves of genus 3.

Our first main result is the following necessary condition.

Theorem 1.2. Any non-complete Kuga curve in A_3 contained generically in the locus Hyp_3 of Jacobians of smooth hyperelliptic curves of genus 3 must have degeneration of type σ_{1+1} with equal orders of growth, i.e. after a suitable choice of a basis it must be given by period matrices of the form

$$\begin{pmatrix} t & 0 & 0 \\ 0 & t & 0 \\ 0 & 0 & 0 \end{pmatrix} + M$$

where $t \in \mathbb{H}$ is the parameter, and the matrix M is independent of t.

The types of degeneration are explained in Section 3, and the notion of growth is developed along with the general form of the period matrix of a Kuga curve in Section 4.

Remark 1.3. We stress the result above only applies to "non-complete" Kuga curves — those that are not complete in \mathcal{A}_g . To be precise, recall that the locus of Jacobians of smooth curves is not closed in \mathcal{A}_g , its closure contains the locus of Jacobians of stable nodal curves of compact type. Thus in particular the conjecture above is that there does not exist a Kuga curve contained in the closure in \mathcal{A}_g of the locus of Jacobians, but not contained in its boundary.

Kuga curves that lie entirely in the locus of Jacobians of smooth curves (without intersecting the locus of decomposable abelian varieties $\mathcal{A}_g^{\text{dec}}$), are completely understood. Without further hypothesis on completeness or non-completeness, one easily shows that they are also Teichmüller curves, and hence non-complete. In fact, they are also Kobayashi geodesics and since the Teichmüller metric and the Kobayashi metric coincide, one can use the argument in [McM03, Theorem 4.1] to show this. Such Shimura-Teichmüller curves are classified up to possible exceptions in g=5 ([Möl11], see also [MVZ06]). There

is only one such curve for g = 3, and one such curve for g = 4. Both families are not families of hyperelliptic curves.

In the opposite direction, we explicitly construct infinitely many Shimura curves:

Theorem 1.4. For any fixed $u \in \mathbb{Q} + i\mathbb{Q} \setminus \mathbb{Z} + i\mathbb{Z}$, the family given by period matrices of the form

$$\Pi_u(t) = \begin{pmatrix} t + iu^2 & u^2/2 & iu \\ u^2/2 & t & u \\ iu & u & i \end{pmatrix},$$
(1)

where the parameter t lies in the set $\{\text{Im}(z) > \max(\text{Re}(u^2), 0)\}$, defines a Shimura curve whose generic point is contained in Hyp₃.

Moreover, there are infinitely many distinct Shimura curves among the ones given by such equations.

Remark 1.5. The Shimura curve obtained above for the parameter $u = \frac{1+i}{2}$ is in fact a family appearing in the list of Moonen and Oort [MO10], as we show in Proposition 8.1. As discussed by Lu and Zuo [LZ07], this gives a non-complete Shimura curve contained in the closure of the hyperelliptic locus in genus 3; these correspond to hyperelliptic curves with a reduced automorphism group $\mathbb{Z}_2 \times \mathbb{Z}_4$.

We note that (1) gives liftings of Shimura curves to the Siegel space, which thus a priori may be equivalent under the action of the symplectic group. The second part of the theorem is thus the statement that there are infinitely many distinct Shimura curves in Hyp₃, proven in Proposition 7.4.

Remark 1.6. Independently, and working from a completely different viewpoint, Lu and Zuo have just obtained results on non-existence of Kuga curves of so-called Mumford type, contained in \mathcal{M}_g , for higher genus — thus greatly advancing our knowledge towards conjecture 1.1. Our methods and results are in a sense complementary to those of Lu and Zuo, and it would be interesting to see if some combination of their and our techniques may lead to further progress on the general problem. In a follow-up paper, we will use some geometric constructions of Pirola to construct an infinite number of non-complete Kuga curves contained in the locus of Jacobians of smooth curves of genus 4.

Outline of the paper. Our proof of Theorem 1.2 is by degeneration, by noticing that the closure in \mathcal{A}_3 of the locus Hyp_3 is given by one defining equation, the theta-null modular form, and studying the Taylor series (i.e. the generalized Fourier-Jacobi expansion) of the theta-null near each boundary stratum of the toroidal compactification

 $\overline{\mathcal{A}}_3$ of \mathcal{A}_3 , restricted to a potential Kuga curve. Along the way of studying these restrictions, we naturally encounter the Kuga curves given by (1) (which turn out to actually be Shimura curves).

In Section 2 we recall the notation for moduli of abelian varieties and modular forms. In Section 3 we recall and further describe the boundary strata of a toroidal compactification and analytic coordinates on the moduli spaces near them. In Section 4 we set up the machinery of our approach, recalling and restating the result of [VZ04] on the structure of Kuga curves, and investigating the term-by-term vanishing of Fourier-Jacobi expansions. In Section 5 we study properties of theta functions on abelian surfaces and show that there do not exist Kuga curves contained in Hyp_3 with degenerations of torus rank 1. In Section 6 we use a very different method — the theorem of Mann on solutions of polynomial equations in roots of unity — to show that there do not exist Kuga curves contained in Hyp₃ with degenerations of torus rank 3. Finally, in Section 7 we study the possible Kuga curves with degenerations of torus rank 2, proving further restrictions, and constructing our infinite collection of examples. In Section 8 we further identify one of these examples of Shimura curves as the locus of hyperelliptic curves with reduced automorphism group $\mathbb{Z}_2 \times \mathbb{Z}_4$ from the list of Moonen and Oort [MO10], as recently studied by Lu and Zuo [LZ07].

Acknowledgements. We thank Klaus Hulek for useful discussions on Fourier series for modular forms. The first author would like to thank Igor Dolgachev for many stimulating discussions about special subvarieties of \mathcal{M}_g . The authors are grateful to the Korea Institute for Advanced Studies (KIAS), where some of the work for this paper was done.

We are very grateful to Xin Lu and Kang Zuo for pointing out the example of a Shimura curve lying in Hyp₃ to us, which then appeared in their recent paper [LZ07]. This led us to uncover a mistake in the first version of this paper, and to further discover the infinitely many Shimura curves in Hyp₃.

2. Background and Notation

Our approach to Kuga curves will be analytic, via the Fourier-Jacobi expansion of modular forms near various strata of the boundary of toroidal compactifications $\overline{\mathcal{A}}_g$. We will now review the relevant notions from the analytic approach to the moduli of ppav and the characterization of the hyperelliptic locus in genus three using theta constants.

Denote

$$\mathbb{H}_{a} := \{ \tau \in \operatorname{Mat}_{a \times a}(\mathbb{C}) \mid \tau^{T} = \tau, \operatorname{Im} \tau > 0 \}$$

(where τ^T denotes the transpose) the Siegel upper half-space consisting of symmetric complex matrices with positive-definite imaginary part. It is the universal cover of the moduli stack \mathcal{A}_g of ppav, with the covering group $Sp_{2g}(\mathbb{Z})$ acting in the usual way by

$$\gamma \circ \tau := (A\tau + B)(C\tau + D)^{-1}$$
 for $\gamma = \begin{pmatrix} A & B \\ C & D \end{pmatrix} \in Sp_{2g}(\mathbb{Z}).$

For future use we denote by $\mathcal{X}_g \to \mathcal{A}_g$ the universal family of ppav, which is globally the quotient $\mathcal{X}_g = Sp_{2g}(\mathbb{Z}) \rtimes \mathbb{Z}^{2g} \backslash \mathbb{H}_g \times \mathbb{C}^g$, where we think of \mathbb{Z}^{2g} as acting by adding period vectors on a ppav. We also denote by $\mathcal{X}_g^{\times r} := \mathcal{X}_g \times_{\mathcal{A}_g} \ldots \times_{\mathcal{A}_g} \mathcal{X}_g$ the r-fold fiberwise product, i.e. the generic fiber of the family $\mathcal{X}_g^{\times r} \to \mathcal{A}_g$ is the r'th Cartesian power of a ppav.

We call a ppav decomposable if it is equal to a product of lower-dimensional ppav (with polarization), and denote by $\mathcal{A}_g^{\text{dec}} \subset \mathcal{A}_g$ the locus of such decomposable ppav.

A holomorphic function $F: \mathbb{H}_g \to \mathbb{C}$ is called a Siegel modular form of weight k with respect to a subgroup $\Gamma \subset Sp_{2g}(\mathbb{Z})$ if

$$F(\gamma \circ \tau) = \det(C\tau + D)^k F(\tau) \qquad \forall \gamma \in \Gamma, \forall \tau \in \mathbb{H}_g$$

(additionally, for g = 1 it needs to be assumed holomorphic at the cusps of the corresponding modular curve).

For $\varepsilon, \delta \in (\mathbb{Z}/2\mathbb{Z})^g$ the theta function with characteristics ε, δ is defined by

$$\theta_{[\varepsilon,\delta]}(\tau,z) := \theta_{\delta}^{\varepsilon}(\tau,z) := \sum_{N \subset \mathbb{Z}^q} e^{\pi i (N+\varepsilon/2)^T (\tau(N+\varepsilon/2)+z+\delta/2)}, \quad (2)$$

where $\tau \in \mathbb{H}_g$ and $z \in \mathbb{C}^g$. The corresponding theta constant is the evaluation of the theta function at z=0. The characteristic $[\varepsilon,\delta]$ is called even/odd depending on whether the scalar product $\varepsilon^T \cdot \delta \in \mathbb{Z}/2\mathbb{Z}$ is 0 or 1, respectively. All theta constants with odd characteristics vanish identically in τ , while all theta constants with even characteristics are in fact modular forms of weight 1/2 with respect to a certain finite index normal subgroup $\Gamma(4,8) \subset Sp_{2g}(\mathbb{Z})$. Under the action of the full group $Sp_{2g}(\mathbb{Z})$ the characteristics of theta constants are permuted under an affine action of $Sp_{2g}(\mathbb{Z})$ on $(\mathbb{Z}/2\mathbb{Z})^{2g}$ that preserves parity, and moreover certain eighth roots of unity arise, but by considering suitably symmetric polynomials in theta constants one can construct modular forms for the entire group $Sp_{2g}(\mathbb{Z})$.

Perhaps the simplest such modular form is the so-called *theta-null*

$$\theta_{\mathrm{null}}(au) := \prod_{[arepsilon, \delta] \ \mathrm{even}} \theta iggl[eta \ \delta iggr] (au).$$

The basis for the current work are the following classical fact — see [ACGH85] for the original references and ideas.

Fact 2.1. In genus 3, the zero locus in A_3 of the theta-null is equal to the closure of the locus Hyp_3 of Jacobians of hyperelliptic genus 3 curves.

To put this paper in perspective, we mention that in genus four, the theta-null divisor is not the divisor that cuts out the Schottky locus. On the contrary, the closure of the locus of Jacobians of genus 4 curves is the zero locus of the so-called Schottky form. We will use this, combined with the techniques developed below, to construct infinitely many Shimura curves contained in the locus of Jacobians of genus 4, in the follow-up paper.

Our approach to studying the hyperelliptic locus is by looking at its boundary, by expanding the defining equation for it in suitable Fourier series. We now recall this setup.

3. COORDINATES NEAR THE BOUNDARY OF THE TOROIDAL COMPACTIFICATION

In what follows we will consider the asymptotic behavior of modular forms near various boundary strata of a suitable toroidal compactification $\overline{\mathcal{A}}_g$. The general procedure for performing such an expansion follows from the construction of toroidal compactifications, where partial quotients of \mathbb{H}_g are taken first, and then glued, and further quotients are taken. Here we only summarize the computations as we need them, referring to [FC90, II.4,V.1] for all details of the theory, to [HKW93] for many examples, and references and explanations of the structure in general; further examples are worked out in [HS04, Prop. IV.4] and [GH13, Rem. 6.5].

We recall that there exist many different toroidal compactifications each admitting a contracting morphism to the Satake compactification. Such toroidal compactifications are defined by choosing an appropriate $GL_g(\mathbb{Z})$ -invariant fan in the cone of semipositive definite symmetric matrices with rational radical. However, for g=3 there exists only one "minimal" toroidal compactification, so that all other toroidal compactifications are obtained from it by further blowups. We denote this compactification $\overline{\mathcal{A}}_3$, which in this case is at the same time the

perfect cone, second Voronoi, and central cone toroidal compactification. The corresponding fan contains one $GL_3(\mathbb{Z})$ -orbit of maximal (6-dimensional) cones, and all other cones are obtained as orbits of its various faces. Each orbit of cones in the fan gives rise to a stratum of the boundary of $\overline{\mathcal{A}}_3$.

In Table 1 we list all the cones in genus 3, up to the action of $GL_3(\mathbb{Z})$, following the list of [Nak75, Section 5], and the notation of [Val03],[HT10]. Note that in these sources, the cone σ_{C_4} is given by the generators $y_1^2, y_2^2, (y_1 - y_3)^2, (y_2 - y_3)^2$, which is equivalent to the cone given below, by performing the change of variables $x_1 = y_2 - y_3, x_2 = y_3 - y_1, x_3 = y_1$.

With each cone we associate its dimension k, i.e. the number of generators of the cone, and its rank r, i.e. the rank of a matrix in the interior of the cone. The rank is equal to one for σ_1 , two for σ_{1+1} and σ_{K_3} , and three for all the remaining cases in the table. The rank of a cone σ equals the rank of the image in the Satake compactification of the boundary stratum corresponding to σ .

The following result is a restatement of well-known facts about toroidal compactifications (see e.g. [FC90]) and a consequence of the smoothness ([Igu67]) of the stack $\overline{\mathcal{A}}_3$. Let $p \in \partial \overline{\mathcal{A}}_3$ be a boundary point, and let δ be the boundary stratum in which p is generic and let $r = r(\delta)$ be its rank.

Proposition 3.1. Any point $p \in \delta \subset \partial \overline{A}_3$ as above has a neighborhood that is a quotient of a neighborhood of the point

$$(s_{1,0},\ldots,s_{\ell,0},0,\ldots,0,Z,z_{11},\ldots,z_{r(g-r)}) \in (\mathbb{C}^*)^{\ell} \times \mathbb{C}^k \times \mathcal{X}_{g-r}^{r}$$

under an unramified covering map, where S_j , T_j are coordinates in $(\mathbb{C}^*)^{\ell}$ and \mathbb{C}^k respectively, $Z \in \mathbb{H}_{q-r}$ and $\ell = r(r+1)/2 - k$.

The change of variables between the coordinates $q_{ij} := e^{2\pi i \tau_{ij}}$ for $i, j \leq r$ and the S_i and T_i is shown in the last column of Table 1.

We refer to the T_j as unbounded variables (since they are allowed to go to zero), to the S_i as the bounded variables, and to (Z, z_{ij}) as moduli coordinates.

4. Modular forms vanishing on Kuga curves

A Kuga fiber space is an inclusion j of a \mathbb{Q} -algebraic group G into $\operatorname{Sp}_{2g}(\mathbb{Q})$, such that an arithmetic lattice $\Gamma \subset G_{\mathbb{R}}$ maps to $\operatorname{Sp}_{2g}(\mathbb{Z})$ and such that the intersection of the maximal compact subgroup $U_g \subset \operatorname{Sp}_{2g}(\mathbb{R})$ with $j(G_{\mathbb{R}})$ is a maximal compact subgroup $K_{\mathbb{R}}$ of $G_{\mathbb{R}}$. We identify a Kuga fiber space with the subvariety of the moduli stack

$$\Gamma \backslash G_{\mathbb{R}}/K_{\mathbb{R}} \hookrightarrow \operatorname{Sp}_{2g}(\mathbb{Z}) \backslash \operatorname{Sp}_{2g}(\mathbb{R})/U_g = \mathcal{A}_g$$

	Cone generators	Coordinates
σ_1	x_1^2	$T_1 = q_{11}$
σ_{1+1}	x_1^2, x_2^2	$T_1 = q_{11}, T_2 = q_{22}, S_1 = q_{12}$
σ_{K_3}	$x_1^2, x_2^2, (x_1 - x_2)^2$	$T_1 = q_{11}q_{12}, T_2 = q_{22}q_{12}, T_3 = q_{12}^{-1}$
σ_{1+1+1}	x_1^2, x_2^2, x_3^2	$T_i = q_{ii}, S_1 = q_{12}, S_2 = q_{13}, S_3 = q_{23}$
σ_{K_3+1}	$x_1^2, x_2^2, (x_1 - x_2)^2, x_3^2$	$T_1 = q_{11}q_{12}, T_2 = q_{22}q_{12}, T_3 = q_{33},$ $T_4 = q_{12}^{-1}, S_1 = q_{13}, S_2 = q_{23}$
σ_{C_4}	$ x_1^2, x_2^2, x_3^2, (x_1 + x_2 + x_3)^2 $	$T_1 = q_{11}q_{23}^{-1}, T_2 = q_{22}q_{13}^{-1}, T_3 = q_{33}q_{12}^{-1},$ $T_4 = q_{23}, S_1 = q_{12}q_{23}^{-1}, S_2 = q_{13}q_{23}^{-1}$
σ_{K_4-1}	$ (x_1^2, x_2^2, x_3^2, (x_1 - x_2)^2, (x_1 - x_3)^2 $	$T_1 = q_{11}q_{12}q_{13}, T_2 = q_{22}q_{12}, T_3 = q_{33}q_{13},$ $T_4 = q_{12}^{-1}, T_5 = q_{13}^{-1}, S_1 = q_{23}$
σ_{K_4}		$T_1 = q_{11}q_{12}q_{13}, T_2 = q_{22}q_{12}q_{23}, T_3 = q_{33}q_{13}q_{23}$ $T_4 = q_{12}^{-1}, T_5 = q_{13}^{-1}, T_6 = q_{23}^{-1}$

TABLE 1. Cones in \overline{A}_3 , and the expressions for the unbounded coordinates T_i and bounded coordinates S_i .

(The term Kuga fiber space originally refers to the induced family of abelian varieties over $\Gamma \backslash G_{\mathbb{R}}/K_{\mathbb{R}}$, which of course determines the above data and vice versa). A Kuga curve is a Kuga fiber space of (base) dimension one. A Shimura subvariety of \mathcal{A}_g is the image of such an inclusion that moreover contains a CM point. While Shimura curves are

more commonly studied, the natural context for our results, similarly to [LZ07], is Kuga curves.

Our technique is by studying the degenerations of Kuga curves, and begins with the following structural result giving a geometric description of non-complete Kuga curves due to Viehweg and Zuo.

Theorem 4.1 ([VZ04, Theorem 0.2]). Given any non-complete Kuga curve $C \subset \mathcal{A}_g$ parameterizing a family of ppav $\mathcal{X} \to C$, there exists an étale cover $C_0 \to C$ such that the pullback family $\mathcal{X}_0 \to C_0$ is isogenous, over C_0 , to a product

$$F \times (\mathcal{E}_0 \times_{C_0} \times \cdots \times_{C_0} \mathcal{E}_0), \tag{3}$$

where $[F] \in \mathcal{A}_{g-r}$ (as a constant family over C_0), and the product is taken with the r'th power of the pullback of the universal family of elliptic curves $\mathcal{E} \to \mathcal{A}_1$ under some unramified covering $C_0 \to \mathcal{A}_1 = SL_2(\mathbb{Z})\backslash\mathbb{H}$.

Proof. This theorem is stated in [VZ04] for families that attain the Arakelov bound. That families over Kuga curves attain the Arakelov bound is implicit in many sources, and is explicitly stated e.g. in [MVZ07].

Let \overline{C} be the closure in $\overline{\mathcal{A}}_g$ of the curve C above. Then, for a boundary point $p \in \overline{C} \cap \partial \overline{\mathcal{A}}_g$ the toric part of the corresponding semiabelic variety has dimension r (this rank is the same for all boundary points p). We thus call r the torus rank associated to a curve C and call F the fixed part of (the family of abelian varieties over) the Kuga curve. If C is of torus rank r, then all boundary points of C lie in strata of rank r. In terms of variations of Hodge structures, the maximal unitary subsystem of $\mathbb{V} = R^1 f_* \mathbb{C}_{\mathcal{X}}$ has rank 2(g-r).

Using this criterion, we can conjugate the period matrix of a Kuga curve to a standard form.

Lemma 4.2. Any non-complete Kuga curve $C \to \mathcal{A}_g$ with a degeneration of torus rank r has a lifting $\varphi : \mathbb{H} \to \mathbb{H}_g$ (where $\mathbb{H} \to C$ is the universal cover) given for $t \in \mathbb{H}$ by

$$\varphi(t) = AZ_tA^T + BA^T, \quad where \quad Z_t := \begin{pmatrix} t & \cdots & 0 & 0 \\ \vdots & \ddots & \vdots & \vdots \\ 0 & \cdots & t & 0 \\ 0 & \cdots & 0 & Z \end{pmatrix}$$
(4)

for some $A \in GL_g(\mathbb{Q})$ and some $B \in Mat_{g \times g}(\mathbb{Q})$ such that BA^T is symmetric, where there are r copies of t on the diagonal, and $Z \in \mathbb{H}_{g-r}$ is independent of t.

Proof. The maps $C \to \mathcal{A}_g$ and the corresponding map $C_0 \to \mathcal{A}_g$ from Theorem 4.1 lift to the same map of universal covers $\mathbb{H} \to \mathbb{H}_g$, and we can thus use the product decomposition (3) to describe the behavior of period matrices along any Kuga curve.

The block diagonal matrix Z_t is the period matrix of the product family in (3) with respect to some symplectic basis $\{\tilde{\alpha}_i, \tilde{\beta}_i, i = 1, \dots, g\}$ of $H^1(B \times E_0^r, \mathbb{Z})$, where E_0^r is some fiber of \mathcal{E}_0^r . We let X_0 be the corresponding fiber of \mathcal{X}_0 . The rational representation ρ_r of the isogeny $F \times \mathcal{E}_0^r \to \mathcal{X}_0$ defines a symplectic isomorphism

$$\rho_r: H^1(F \times E_0^r, \mathbb{Q}) \to H^1(X_0, \mathbb{Q}).$$

The image $L = \rho_r(\langle \tilde{\alpha}_i, i = 1, \dots, g \rangle)$ is a Lagrangian subspace of $H^1(A_0, \mathbb{Q})$. If we pick a basis $\alpha_1, \dots, \alpha_g$ of $L \cap H^1(X_0, \mathbb{Z})$ and complete it by β_1, \dots, β_g to a basis of $H^1(X_0, \mathbb{Z})$, then ρ_r in the basis of $H^1(F \times E_0^r, \mathbb{Q})$ and $H^1(X_0, \mathbb{Z})$ just specified is given by some block matrix $\begin{pmatrix} A & B \\ 0 & D \end{pmatrix} \in Sp_{2g}(\mathbb{Q})$. This matrix being symplectic implies $D = A^{-T}$, and thus the period matrix of X_0 is obtained from that of $B \times E_0^r$ as claimed in (4). Over the contractible space \mathbb{H}_g the choice of a basis can of course be made consistently in families.

We can write the equation for this period matrix still more explicitly.

Lemma 4.3. Any non-complete Kuga curve $C \to \mathcal{A}_g$ with a degeneration of torus rank r, such that $\overline{C} \subset \overline{\mathcal{A}}_g$ intersects the stratum corresponding to a cone σ in the fan defining $\overline{\mathcal{A}}_g$ has a lifting $\varphi : \mathbb{H} \to \mathbb{H}_g$ given by

$$\varphi(t) = \begin{pmatrix} E \cdot t & 0 \\ 0 & 0 \end{pmatrix} + A \begin{pmatrix} 0 & 0 \\ 0 & Z \end{pmatrix} A^T + R, \tag{5}$$

where $E = (e_{ij})$ lies in the chosen representative of the $GL_r(\mathbb{Z})$ orbit of the cone σ , while $Z \in \mathbb{H}_{g-r}$, $A \in GL_g(\mathbb{Q})$, and symmetric $R \in \operatorname{Mat}_{g \times g}(\mathbb{Q})$ are fixed independently of t.

Proof. The formula for $\varphi(t)$ is just the restatement of the previous lemma. Since E lies in a cone of the fan that lies in the orbit of σ under $\operatorname{GL}_r(\mathbb{Z})$ (this is what it means that the degeneration corresponds to the stratum σ), there exists some $A_0 \in \operatorname{GL}_r(\mathbb{Z})$ such that $A_0 E A_0^T$ lies in the chosen representative of the orbit of σ under $\operatorname{GL}_r(\mathbb{Z})$. Writing $A = \begin{pmatrix} A_0 & 0 \\ 0 & Id \end{pmatrix} \in \operatorname{GL}_g(\mathbb{Z})$, this corresponds to the action of $\begin{pmatrix} A & 0 \\ 0 & A^{-T} \end{pmatrix} \in \operatorname{Sp}_{2g}(\mathbb{Z})$, thus to the choice of an appropriate lifting of the Kuga curve.

We refer to the coefficients e_{ij} of E as the growth orders of the Kuga curve. Their importance will soon become apparent when we study modular forms vanishing on a Kuga curve.

We first give an even more precise form of this period matrix in the case that will be the most interesting in the sequel.

Corollary 4.4. In the notation of the preceding lemmas, if g = 3 and r = 2, then we may moreover suppose that the term $A\begin{pmatrix} 0 & 0 \\ 0 & Z_z \end{pmatrix}A^T$ in (5) can be written as KZ_{11} with Z_{11} in a fundamental domain \mathcal{F} for the action of $SL_2(\mathbb{Z})$ on \mathbb{H} , and K a rational symmetric matrix of rank one with $K_{33} = 1$, i.e. with

$$K = \begin{pmatrix} a^2 & ab & a \\ ab & b^2 & b \\ a & b & 1 \end{pmatrix}, \quad a, b \in \mathbb{Q}.$$

Proof. The term in question is, to start with, symmetric of rank one and a rational multiple of the matrix Z, which is just a number Z_{11} by the dimension hypothesis. Absorbing K_{33} into the constant, we thus get a matrix of rank 1, which is thus of the form claimed.

It remains to show that by the continued fraction algorithm we may suppose $Z_{11} \in \mathcal{F}$ without destroying the rest of the shape of $\varphi(t)$. Translating just changes R, so all we need is to control the effect of applying

$$S = \begin{pmatrix} 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 \end{pmatrix} \in \operatorname{Sp}_6(\mathbb{Z}).$$

A short calculation shows that $\varphi(t)$ still has the three summands $\begin{pmatrix} E \cdot t & 0 \\ 0 & 0 \end{pmatrix}$, a (different) rational symmetric matrix R, and a rational symmetric rank one multiple of $-1/Z_{11}$.

Remark 4.5. Conversely, given a family of abelian varieties with period matrices as defined in (5) for $t \in \mathbb{H}$, this family is a Kuga curve. In fact, the family $\varphi_0(t) = Z_t$ with Z_t as in (4) defines a Kuga curve, being a Kuga curve is preserved by an isogeny and $\varphi_0(t)$ and $\varphi(t)$ differ by the effect of an isogeny, as explained above.

We will now prove a necessary criterion for the existence of a non-complete Kuga curve in \mathcal{A}_g , contained in the zero locus of a modular form F, such that its closure in $\overline{\mathcal{A}}_g$ contains a point in a stratum corresponding to a cone σ of the fan defining $\overline{\mathcal{A}}_g$. Basically the condition is that the Taylor series of F vanishes along \overline{C} term by term near the boundary.

We will denote F^{σ} this Taylor expansion of a modular form F near a boundary stratum σ in coordinates provided by Proposition 3.1 — this is called a (generalized) Fourier-Jacobi expansion. We think of it as a power series in the unbounded variables T_i , with coefficients being functions of the bounded variables S_i and the moduli coordinates.

We then substitute into such a Fourier-Jacobi expansion F^{σ} the period matrix given by (5), and then order the terms according to the resulting power of $q := e^{2\pi it}$. While this ordering in general depends on the growth orders e_{ij} in Lemma 4.3, it turns out that in all our cases the modular form, as a power series in all of the T_i , has a unique lowest order term (l.o.t.). Indeed, we introduce a partial ordering on monomials in T_i by saying that a monomial is less than or equal to another one if it divides it — that is, if the power of each variable T_i is less than or equal. We then have the following criterion (stated for maximal torus rank for clarity, see the comment below for the general case)

Proposition 4.6. Suppose for some cone σ of torus rank g, in a fan defining a smooth toroidal compactification $\overline{\mathcal{A}}_g$, the Fourier-Jacobi expansion F^{σ} of a modular form F has a unique lowest order term, which is a monomial in T_i , multiplied by some function $F_0^{\sigma}(S_1, \ldots, S_{\ell})$ of the bounded variables.

Then, if there exists a Kuga curve $C \to A_g$ contained in the zero locus of F, such that its closure $\overline{C} \subset \overline{A}_g$ intersects the stratum corresponding to σ , then there must exist roots of unity ζ_i such that

$$F_0^{\sigma}(\zeta_1,\ldots,\zeta_\ell)=0.$$

Remark 4.7. We will use the full strength of this proposition, including the statement about roots of unity, to deal with the case of cones of torus rank 3 for \mathcal{A}_3 in section 6. Notice that there is of course a more general version of the statement above, for σ of arbitrary torus rank r. In that case the lowest order term F_0^{σ} would also depend on the moduli coordinates $Z, z \in \mathcal{X}_{g-r}^{\times r}$, and the statement is that that we would have $F_0^{\sigma}(S_1, \ldots, S_{\ell}, z, Z) = 0$ where S_i and z all depend on $Z \in \mathbb{H}_{g-r}$, $A \in \mathrm{GL}_g(\mathbb{Q})$, and $R \in \mathrm{Mat}_{g \times g}(\mathbb{Q})$ as appearing in Lemma 4.3. Instead of writing out this statement in detail in full generality, we will prefer to work out explicitly what this says for our situations for cones of torus rank 1 and 2.

Proof of Proposition 4.6. As a consequence of Lemma 4.3, denoting from now on $q := e^{2\pi i t}$, we have $q_{ij} = e^{2\pi i b_{ij}} q^{e_{ij}}$. Consequently, each T_i is a rational power of q times a root of unity. To study the behavior of each T_i near q = 0, i.e. as $t \to i\infty$, we divide t by the least common multiple of all denominators of b_{ij} (which only reparameterizes the curve), and can thus assume that we have $T_i = \xi_i q^{f_i}$ for each i, with $f_i \in \mathbb{N}$ and ξ_i a root of unity. The same applies to the S_i , but since they stay bounded away from zero by their definition and the choice of the cone, the exponent of q is zero, i.e. $S_j = \zeta_j$ are all roots of unity.

If F vanishes identically on C, then its Fourier-Jacobi expansion F^{σ} must vanish identically as a power series in q, and thus in particular the lowest order term in q, which is the evaluation of F_0^{σ} at the S_i as above, must vanish.

Our proof of the main result will proceed differently for different torus ranks r. In general, the criterion above seems more powerful for larger r, as then there are fewer variables S_i , and the condition for F_0^{σ} to vanish at some roots of unity becomes most restrictive. Notice also that for r < g the variables Z, z enter the expression, and thus the vanishing of l.o.t. and of consequent minimal terms would in fact imply certain vanishing statements for theta functions of Z, z, and we will need to study the associated geometry in more detail — while for r = g the question becomes purely about roots of unity, and is essentially combinatorial.

5. Non-existence of Kuga curves of torus rank 1

In this section we prove that there do not exist non-complete Kuga curves whose generic point is contained in Hyp₃, and such that their degeneration has torus rank one. This is to say, we prove that there do not exist non-complete Kuga curves $C \subset \text{Hyp}_3$ such that their closure in $\overline{\mathcal{A}}_3$ intersects the stratum σ_1 . The argument, here as well as in the following sections, is by substituting the expression for the Kuga curve given by Lemma 4.3 and applying Proposition 4.6.

The results in this section, on torus rank 1, are in fact not new, as they are a consequence of a more general result of Xiao [Xia92]. Indeed, after possibly passing to a ramified cover of the base, from a Kuga curve degenerating to σ_1 we obtain a family of curves $f: \mathcal{Y} \to C$ (of which \mathcal{X} is the family of Jacobians). If C is not contained in $\mathcal{A}_3^{\text{dec}}$, then a generic fiber of f is smooth.

It then follows from the work of Xiao [Xia92] that the dimension q_f of the fixed part of any family $f: \mathcal{Y} \to C$ of hyperelliptic curves of genus g is bounded by

$$q_f \le (g-1)/d + 1,$$

where d is the degree of the Albanese map $\mathcal{Y} \to \text{Alb}(\mathcal{Y})$ of the fibred surface \mathcal{X} . Hence for genus three a fixed part of dimension $q_f = 2$ is possible only if d = 2, in which case the upper bound is attained. Xiao moreover proves that if the upper bound is attained, then the family is isotrivial, which is impossible for a Kuga curve.

Still, we obtain an independent proof, which also allows us to demonstrate our technique for the simplest case of the Fourier expansion. Recall that we only have one cone σ_1 of torus rank 1 in table 1, generated simply by the quadratic form x_1^2 , with the corresponding unbounded variable being $T_1 = q_{11}$, and the Fourier-Jacobi expansion is the usual one. Indeed, by definition, for any $Z \in \mathbb{H}_{g-1}$, any $z, b \in \mathbb{C}^{g-1}$, and any $x \in \mathbb{C}$ we have

$$\theta \begin{bmatrix} 0 & \varepsilon \\ \delta_1 & \delta \end{bmatrix} \left(\begin{pmatrix} t & z^T \\ z & Z \end{pmatrix}, \begin{pmatrix} x \\ b \end{pmatrix} \right) = \sum_{N \in \mathbb{Z}} q_{11}^{N^2/2} w^N (-1)^{N\delta_1} \theta_{[\varepsilon,\delta]}(Z, b + Nz)$$

$$= \theta_{[\varepsilon,\delta]}(Z,b) + q_{11}^{1/2} (-1)^{\delta_1} \left(w \, \theta_{[\varepsilon,\delta]}(Z, b + z) + w^{-1} \theta_{[\varepsilon,\delta]}(Z, b - z) \right)$$

$$+ O(q_{11}^2), \tag{6}$$

if the first top characteristic is zero, while

$$\theta \begin{bmatrix} 1 & \varepsilon \\ \delta_{1} & \delta \end{bmatrix} \left(\begin{pmatrix} t & z^{T} \\ z & Z \end{pmatrix}, \begin{pmatrix} x \\ b \end{pmatrix} \right) \\
= \sum_{N \in \mathbb{Z}} q_{11}^{(2N+1)^{2}/8} w^{(2N+1)/2} i^{(2N+1)\delta_{1}} \theta_{[\varepsilon,\delta]} (Z, b + (2N+1)z/2) \\
= q_{11}^{1/8} \left(i^{\delta_{1}} w^{\frac{1}{2}} \theta_{[\varepsilon,\delta]} \left(Z, b + \frac{z}{2} \right) + i^{-\delta_{1}} w^{-\frac{1}{2}} \theta_{[\varepsilon,\delta]} \left(Z, b - \frac{z}{2} \right) \right) \\
+ q_{11}^{9/8} \left(i^{-\delta_{1}} w^{\frac{3}{2}} \theta_{[\varepsilon,\delta]} \left(\tau, b + \frac{3z}{2} \right) + i^{\delta_{1}} w^{-\frac{3}{2}} \theta_{[\varepsilon,\delta]} \left(\tau, b - \frac{3z}{2} \right) \right) \\
+ O(q_{11}^{25/8}). \tag{7}$$

where $w := \exp(2\pi i x)$.

We can now prove the result for torus rank 1.

Proposition 5.1. There does not exist a non-complete Shimura curve generically contained in Hyp₃ whose closure $\overline{C} \subset \overline{A}_3$ intersects the stratum corresponding to σ_1 , the locus of semiabelic varieties of torus rank one.

Proof. Since θ_{null} is a product of theta constants, for it to vanish identically on \overline{C} , one theta constant needs to vanish identically. The Fourier-Jacobi expansion corresponding to the cone σ_1 is the classical one, given for theta constants by formulas (6), (7) evaluated at (z,b) = (0,0). Thus we need to check that it is impossible for the Fourier-Jacobi series of one theta constant $\theta_{[\varepsilon,\delta]}$ to vanish identically identically along the Kuga curve given by $\varphi(t)$ from formula (5) in Lemma 4.3.

The l.o.t. of the Fourier-Jacobi expansion of a theta constant is well-known (see for example [GSM09] and references therein), and we recall the situation now, distinguishing the cases of $\varepsilon_1 = 0$ and $\varepsilon_1 = 1$. The

l.o.t. for a theta constant with $\varepsilon_1 = 0$ is simply $\theta_{[\varepsilon,\delta]}(Z,0)$ (the theta constant in dimension 2). For this to vanish for $Z \in \mathbb{H}_2$ implies that Z lies on the theta null divisor in genus 2, which is to say $Z \in \mathcal{A}_2^{\text{dec}}$. By acting by $Sp_4(\mathbb{Z})$, we can then conjugate Z to the block-diagonal form (so $\tau_{23} = 0$ and $q_{23} = 1$), and the vanishing theta constant must then be for $\varepsilon = \delta = 11$. Substituting this in the Fourier-Jacobi expansion yields a vanishing constant term, while the next term has the form

$$2(-1)^{\delta_1}q_{11}^{1/2}\theta\begin{bmatrix}11\\11\end{bmatrix}(Z,z) = 2(-1)^{\delta_1}q_{11}^{1/2}\theta\begin{bmatrix}1\\1\end{bmatrix}(Z_1,z_1)\theta\begin{bmatrix}1\\1\end{bmatrix}(Z_2,z_2),$$

since the theta function on a product of ppav is the product of theta functions on the factors. Thus for this next term to vanish, one of the two factors on the right hand side has to vanish. Since on an elliptic curve the only zero of $\theta_{[1,1]}$ is at the origin, we must have either $z_1 = 0$ or $z_2 = 0$, which is to say either $\tau_{12} = 0$ or $\tau_{13} = 0$, and in either case the period matrix $\varphi(t)$ of any point on the Kuga curve is decomposable.

Similarly, for a theta constant with $\varepsilon_1 = 1$ the terms in the Fourier-Jacobi expansion are non-zero multiples of $\theta_{[\varepsilon,\delta]}(Z,(N+1/2)z)$ for $N \in \mathbb{N}$, which must then all vanish. Consider the functions $f_1(x) := \theta_{[\varepsilon,\delta]}(Z,x+z/2)$ and $f_2(x) := \theta_{[\varepsilon,\delta]}(Z,x+3z/2)$. For either of them, the locus of x where they vanish is a translate of the theta divisor on the abelian surface. However, both f_1 and f_2 vanish for x=0,z,2z. If $Z \notin \mathcal{A}_2^{\mathrm{dec}}$, then the theta divisor on it is the genus two curve, of which the abelian surface is the Jacobian, and two different translates of the theta divisor intersect in precisely two points; thus we must have 0=2z, so z is a 2-torsion point. In this case the only condition we have is $\theta_{[\varepsilon,\delta]}(Z,z/2)=0$ (since $\theta_{[\varepsilon,\delta]}(Z,3z/2)=\theta_{[\varepsilon,\delta]}(Z,-z/2)=0$ is automatic by parity of the theta function). It turns out that for $Z\in\mathcal{A}_2$ this in fact implies that z=0, this is proven in [Gra88, Proposition 2.1c].

For completeness, we give a direct proof as follows: it is known that on an indecomposable abelian surface the theta divisor passes through precisely 6 (odd) 2-torsion points, and the intersection of the theta divisor with any its translate by a 2-torsion point contains 2 of these 6 points (this can be phrased as an azygy condition, and easily counted by hand, being the odd 2-torsion points such that their sum with the translate is still odd). Since the self-intersection number of the theta divisor is equal to 2, the intersection of the theta divisor with its translate by a 2-torsion point must consist only of these two points, for any indecomposable abelian surface. However, in our situation the theta divisor translated by $(\varepsilon Z + \delta)/2 + z$ intersect at z/2 = -3z/2, and thus z/2 must be a 2-torsion point, so z = 0, as a point on the abelian surface.

Thus we must have $Z \in \mathcal{A}_2^{\text{dec}}$, so the theta function factorizes, and in particular the next order term is a non-zero multiple of

$$\theta \begin{bmatrix} \varepsilon_2 \varepsilon_3 \\ \delta_2 \delta_3 \end{bmatrix} (Z, z/2) = \theta \begin{bmatrix} \varepsilon_2 \\ \delta_2 \end{bmatrix} (Z_1, z_1/2) \theta \begin{bmatrix} \varepsilon_3 \\ \delta_3 \end{bmatrix} (Z_2, z_2/2),$$

for which to vanish either $z_1/2$ or $z_2/2$ must be a 2-torsion point, so that either $z_1 = 0$ or $z_2 = 0$, and then $\varphi(t) \in \mathcal{A}_3^{\text{dec}}$ for all t.

6. Non-existence of Kuga curves of torus rank 3

In this section we show that there do not exist non-complete Kuga curves $C \subset \text{Hyp}_3$ such that their closure in $\overline{\mathcal{A}}_3$ contains a semiabelic variety of torus rank 3. Here, very unlike the previous situation, the geometry of the theta function becomes irrelevant, as the corresponding Fourier expansion is now in all variables, with no abelian part left. However, the situation is complicated by the fact that there are now multiple cones of torus rank 3, as listed in Table 1. The hardest case here is that of σ_{1+1+1} , where in the Fourier-Jacobi the l.o.t. is a complicated rational function, and to deal with it we will need to use the full strength of Lemma 4.3, in particular the rationality of the coefficients in (5), which leads to $q_{jk} = e^{2\pi i b_{jk}}$ for $j \neq k$ being roots of unity. Indeed, we apply a theorem of Mann on solutions of polynomial equations in roots of unity, the setup for which we now recall.

An equation $\sum_{i=1}^k a_i \zeta_i = 0$ where the ζ_i are pairwise different roots of unity and where the a_i lie in some number field K is called a K-relation of length k. Such a relation is called irreducible if there does not exist a non-empty subset $I \subseteq \{1, \ldots, k\}$ with the property $\sum_{i \in I} a_i \zeta_i = 0$. Thus each K-relation is a sum of irreducible relations, though there may be more than one way of writing a relation as a sum of irreducibles. We will use the following bound on possible roots of unity appearing in a solution.

Theorem 6.1 (Mann [Man65]). Suppose that $\sum_{i=1}^k a_i \zeta_i = 0$ is an irreducible \mathbb{Q} -relation. Let $2 = p_1 < 3 = p_2 < \cdots < p_s \le k$ be the primes listed in increasing order. Then if there exist roots of unity ζ_i satisfying the relation, then for some N dividing the product $\prod_{i=1}^s p_i$ there exists a primitive N-th root of unity ζ_N , and there exist exponents $b_i \in \mathbb{Z}$ such that

$$\zeta_i = \xi \, \zeta_N^{b_i},$$

for all i = 1, ..., k, where ξ is an arbitrary root of unity (of any degree).

We will now investigate the Fourier-Jacobi expansion corresponding to the cone σ_{1+1+1} . Recall that this cone is generated by x_1^2, x_2^2, x_3^2 , the

corresponding stratum is of codimension 3 in $\overline{\mathcal{A}}_3$, and the unbounded and bounded variables are simply the diagonal and off-diagonal q_{ij} , respectively. It will turn out that the cases of the other torus rank 3 strata will largely be obtainable from this one by a further degeneration.

Computationally it turns out to be advantageous (for factorization below) to use $\tilde{q}_{ij} := q_{ij}^{1/2}$ instead of the bounded coordinates S_k , and we will thus switch to this notation. Determining the l.o.t. of each individual theta constant yields the l.o.t. of θ_{null} in the Fourier-Jacobi expansion for σ_{1+1+1} .

Lemma 6.2. The l.o.t. of θ_{null} is equal to $T_1^2T_2^2T_3^2$ times the coefficient

$$L := (\tilde{q}_{23}^2 - 1)^2 (\tilde{q}_{13}^2 - 1)^2 (\tilde{q}_{12} - 1)^2 \tilde{q}_{23}^{-4} \tilde{q}_{13}^{-4} \tilde{q}_{12}^{-4} \cdot (\tilde{q}_{12} \tilde{q}_{13} \tilde{q}_{23} - \tilde{q}_{12} - \tilde{q}_{13} + \tilde{q}_{23}) (\tilde{q}_{12} \tilde{q}_{13} \tilde{q}_{23} - \tilde{q}_{12} + \tilde{q}_{13} - \tilde{q}_{23}) \cdot (\tilde{q}_{12} \tilde{q}_{13} \tilde{q}_{23} + \tilde{q}_{12} - \tilde{q}_{13} - \tilde{q}_{23}) (\tilde{q}_{12} \tilde{q}_{13} \tilde{q}_{23} + \tilde{q}_{12} + \tilde{q}_{13} + \tilde{q}_{23})$$

$$(8)$$

Before proceeding to the proof, we prepare notation for discussing the l.o.t. of theta constants in general. Note that in general the monomials appearing in the series for $\theta_{[\varepsilon,\delta]}$ are of the form $q_{11}^{a_1}q_{22}^{a_2}q_{33}^{a_3}q_{13}^{b_1}q_{13}^{b_2}q_{12}^{b_3}$. where we have

$$a_i = \frac{1}{2}(n_i + \varepsilon_i/2)^2, \quad b_i = (n_j + \varepsilon_j/2)(n_k + \varepsilon_k/2)$$
 (9)

for
$$\{i, j, k\} = \{1, 2, 3\}.$$

Proof of Lemma 6.2. To prove that θ_{null} has a unique l.o.t. in the Fourier-Jacobi expansion corresponding to σ_{1+1+1} , it suffices to prove that each individual theta constant has a unique l.o.t. in the partial ordering in T_i . The quadratic form a_i in the variables n_i has a unique minimum for each choice of ε_i and this minimum is attained for finitely many values of n_i , more precisely for $n_i = 0$ if $\varepsilon_i = 0$ or for $n_i \in \{0, -1\}$ if $\varepsilon_i = 1$. For each i there are 16 theta characteristics where in the l.o.t. $a_i = 1/8$, while for the remaining 20 theta characteristics for the l.o.t. $a_i = 0$.

This proves the uniqueness of the l.o.t.; to compute it, consider for example the product of all theta constants with $(\varepsilon_1, \varepsilon_2, \varepsilon_3) = (1, 1, 0)$ and δ_i arbitrary. The coefficient of the l.o.t. in the product of the corresponding theta constants, up to a root of unity, is equal to $(\tilde{q}_{12} - \tilde{q}_{12}^{-1})^2(\tilde{q}_{12} + \tilde{q}_{12}^{-1})^2$, where the two summands correspond to the choices for n_i that are possible to attain the minimum order in the variables T_i , as discussed above, and the signs in the two factors correspond to the choice of (δ_1, δ_2) , and the two remaining choices for δ_3 result in the global square.

A similar discussion leads to the factors $(\tilde{q}_{ij}-1)^2\tilde{q}_{ij}^{-4}$ for the other characteristics with two ε_i being equal to one. The factors with 4 summands correspond to $(\varepsilon_1, \varepsilon_2, \varepsilon_3) = (1, 1, 1)$; there are 4 of them, since there are 4 possible choices for $(\delta_1, \delta_2, \delta_3)$ in this case so that the characteristics is even.

Thus for θ_{null} to vanish on a Kuga curve degenerating to a point contained in the stratum corresponding to σ_{1+1+1} , the coefficient L above has to vanish. Suppose we have $\tilde{q}_{jk} = 1$ (we will later show that the complicated factors in (8) cannot vanish otherwise for \tilde{q} being roots of unity) — then we will need to look at the next lowest order term. Without loss of generality, we assume that $q_{12} = 1$, and evaluate θ_{null} then.

Lemma 6.3. In the expansion of the power series

$$q_{11}^{-2}q_{22}^{-2}q_{33}^{-2}\theta_{\text{null}}|_{q_{12}=1} \in \mathbb{C}(S_2, S_1)[[T_1, T_2, T_3]]$$

every non-zero term is divisible by $q_{33} = T_3$. More precisely, the unique l.o.t. of $\theta_{\text{null}}|_{q_{12}=1}$ is equal to

$$T_1^2 T_2^2 T_3^3 (q_{13} - 1)^6 (q_{23} - 1)^6 q_{13}^{-3} q_{23}^{-3}.$$
 (10)

Proof. It follows from the discussion in the previous proof that at a generic point with $q_{12} = 1$ the l.o.t. of a theta constant vanishes if and only if $(\varepsilon_1, \varepsilon_2, \varepsilon_3) = (1, 1, 0)$ and $(\delta_1, \delta_2) = (1, 1)$ (with δ_3 arbitrary). By the Fourier-Jacobi expansion (6), these two theta constants have a unique lowest order term of order $T_3^{1/2} = q_{33}^{1/2}$. Thus the evaluation of the theta-null above has a l.o.t., and to compute it, it suffices to collect the evaluation of the other factors of (8) at $q_{12} = 1$ and the coefficient of the $q_{33}^{1/2}$ -term in each of the two vanishing theta constants to prove (10).

Remark 6.4. This lemma also admits a more geometric proof. Indeed, the lemma amounts to showing that the generic vanishing order in q_{33} of the theta-null is higher for $\tau_{12} = 0$ than for $\tau_{12} \neq 0$. To see this, recall that the restriction of a theta constant with $\varepsilon_3 = 0$ to the locus where $\tau_{33} = i\infty$ is simply equal to the theta constant in dimension 2, with truncated characteristic. Thus in particular

$$\theta \begin{bmatrix} 1 & 1 & 0 \\ 1 & 1 & \delta \end{bmatrix} \begin{pmatrix} \tau_{11} & 0 & * \\ 0 & \tau_{22} & * \\ * & * & i \infty \end{pmatrix} = \theta \begin{bmatrix} 1 & 1 \\ 1 & 1 \end{bmatrix} \begin{pmatrix} \tau_{11} & 0 \\ 0 & \tau_{22} \end{pmatrix} = \theta \begin{bmatrix} 1 \\ 1 \end{bmatrix} (\tau_{11}) \theta \begin{bmatrix} 1 \\ 1 \end{bmatrix} (\tau_{22}) \equiv 0$$

while

$$\theta \begin{bmatrix} 1 & 1 & 0 \\ 1 & 1 & a \end{bmatrix} \begin{pmatrix} * * * * \\ * * * * \\ * * * i \infty \end{pmatrix} = \theta \begin{bmatrix} 1 & 1 \\ 1 & 1 \end{bmatrix} \begin{pmatrix} * * \\ * * \end{pmatrix} \not\equiv 0$$

is not identically zero otherwise.

Finally, we thus get the main statement for this cone.

Proposition 6.5. There does not exist a non-complete Kuga curve $C \subset \operatorname{Hyp}_3$ not contained in $\mathcal{A}_3^{\operatorname{dec}}$, and such that its closure \overline{C} intersects the stratum corresponding to the cone σ_{1+1+1} .

Proof. By Proposition 4.6 and Lemma 6.2 the coefficient C given in (8) has to vanish. Up to permutation of the variables, there are two cases depending on which factor vanishes. If $q_{12} = 1$, then by Lemma 6.3 the term $q_{11}^2 q_{22}^2 q_{33}^3$ divides all non-zero terms. Hence, by the same argument as in Proposition 4.6, its coefficient has to vanish. This implies $q_{13} = 1$ or $q_{23} = 1$, and thus the period matrix $\varphi(t)$ is diagonal, up to the addition of an integral matrix, and by the action of $Sp_6(\mathbb{Z})$ can be conjugated into $\mathcal{A}_3^{\text{dec}}$.

If one of the factors of C with 4 summands vanishes, this is a relation in roots of unity. If this relation is reducible, it has to be a sum of two relations with two terms. After permuting the variables, it must then yield either the two relations $\tilde{q}_{13}\tilde{q}_{23}=1$ and $\tilde{q}_{13}=\tilde{q}_{23}$ or the two relations $\tilde{q}_{13}\tilde{q}_{23}=-1$ and $\tilde{q}_{13}=-\tilde{q}_{23}$, so that the only possible solutions are ± 1 . Thus we get $q_{13}=q_{23}=1$ (recall that $q_{ij}=\tilde{q}_{ij}^2$, so the signs disappear), and $\varphi(t)$ is decomposable. If the relation with 4 summands is irreducible, by Theorem 6.1 all the terms are roots of unity of degree at most 6. Going through the possible cases easily shows that the only possible solution is still for the two corresponding \tilde{q}_{ij} to be equal to ± 1 , so that we get again $C \subset \mathcal{A}_3^{\mathrm{dec}}$.

We now deal with the other strata in $\overline{\mathcal{A}}_3$, case by case. From Table 1 we recall that there are two strata of codimension 4 and torus rank 3, and we now compute the l.o.t. of θ_{null} in the corresponding coordinates.

Lemma 6.6. For the cone σ_{K_3+1} , the modular form θ_{null} has a unique l.o.t. in T_1, \ldots, T_4 , given by

$$T_1^2 T_2^2 T_3^2 T_4^2 \cdot S_1^{-2} S_2^{-2} (S_2 - 1)^2 (S_1 - 1)^2 (S_1 S_2 - 1)^2. \tag{11}$$

For the cone σ_{C_4} , the modular form θ_{null} has a unique l.o.t. in T_1, \ldots, T_4 given by

$$T_1^2 T_2^2 T_3^2 T_4^2 \cdot (-\tilde{S}_1 - \tilde{S}_2 + 1)(-\tilde{S}_1 + \tilde{S}_2 - 1)(\tilde{S}_1 - \tilde{S}_2 - 1)(\tilde{S}_1 + \tilde{S}_2 + 1), \quad (12)$$
where $\tilde{S}_j := S_j^{1/2}$.

Proof. To determine the coefficient, if the unique l.o.t. is known to exist, it of course suffices to look at the lowest term C for the standard codimension 3 cone, given by (8), and rewrite it in terms of the new unbounded variables.

For the cone σ_{K_3+1} , the unbounded variables are $T_1=q_{11}q_{12}, T_2=q_{22}q_{12}, T_3=q_{33}$, and $T_4=q_{12}^{-1}$. We note first that for each term in the Fourier series for each theta constant the powers of the variables T_1, T_2, T_3 in this case are simply the powers of the diagonal entries q_{11}, q_{22}, q_{33} , i.e. the same as powers of the variables T_1, T_2, T_3 for the cone σ_{1+1+1} . Thus it suffices to show that all other terms in the power series are divisible by at least T_4^2 , to show that this term is the unique l.o.t. for this expansion. Indeed, the power of $T_4=q_{12}^{-1}$ in a monomial in the Fourier series of an individual theta constant is easily computed to be

$$a_1 + a_2 - b_3 = \frac{1}{2}(n_1 - n_2 + \varepsilon_1/2 - \varepsilon_2/2)^2$$

where a_i and b_i are given by (9). For $\varepsilon_1 = \varepsilon_2$, the minimum value this attains is zero. For $\varepsilon_1 \neq \varepsilon_2$, the minimal value of this expression is equal to 1/8. Thus each theta constant has a l.o.t. in T_1, \ldots, T_4 , and the l.o.t. of their product θ_{null} can be computed from reexpressing C given by (8) in the new variable.

For the cone σ_{C_4} , the situation is similar; we again have to show that the exponent of T_4 is at least two in every monomial. Here the exponent is given by

$$a_1 + a_2 + a_3 + b_1 + b_2 + b_3 = \frac{1}{2}(n_1 + n_2 + n_3 + \varepsilon_1/2 + \varepsilon_2/2 + \varepsilon_3/2)^2$$

which attains a minimum of zero if and only if $\varepsilon_1 + \varepsilon_2 + \varepsilon_3 \equiv 0$ (2), and otherwise the minimum is equal to 1/8. Thus each theta constant again has a unique l.o.t., and the l.o.t. of θ_{null} is obtained from rewriting (8) in the new variables.

The argument for the other two cones follows the same pattern.

Lemma 6.7. For the cone σ_{K_4-1} , the modular form θ_{null} has a unique l.o.t. in T_1, \ldots, T_5 , given by

$$T_1^2 T_2^2 T_3^2 T_4^2 T_5^2 \cdot (S_1 - 1)^2 \tag{13}$$

while for the cone σ_{K_4} the modular form θ_{null} has a unique l.o.t. in T_1, \ldots, T_6 , equal to

$$T_1^2 T_2^2 T_3^2 T_4^2 T_5^2 T_6^2. (14)$$

Proof. Again, it suffices to show that a unique l.o.t. exists, and then it can be obtained by rewriting C given by (8) in the corresponding variables. For σ_{K_4-1} , note that in each monomial the powers of T_1, T_2, T_3, T_4 are the same as for the cone σ_{K_3+1} , and thus it suffices to show that each monomial is divisible by T_5 . This is done again by verifying that the corresponding power is a complete square. Similarly, for the cone

 σ_{K_4} we now further have to check that each monomial is divisible by T_6^2 , which is done in the same manner.

We now use this existence of l.o.t. to show that there do not exist Kuga curves whose closure intersect these strata.

Proposition 6.8. There does not exist a non-complete Kuga curve $C \subset \text{Hyp}_3$ not contained in $\mathcal{A}_3^{\text{dec}}$, and such that its closure \overline{C} intersects the stratum corresponding to one of the cones σ_{K_3+1} , σ_{C_4} , σ_{K_4-1} , σ_{K_4} .

Proof. By Proposition 4.6 and the previous lemmas, we first focus on the vanishing of the l.o.t. for each of these cones, but will then also need to consider the next lowest term, as above.

For the cone σ_{K_3+1} , if $S_1 = 1$ (of course $S_2 = 1$ is completely analogous), we claim that $\theta_{\text{null}}|_{S_1=q_{13}=1}$ still has a unique l.o.t. Then this term must also be lowest order with respect to q_{ii} for i = 1, 2, 3, and must be the top coefficient in (10) (replacing q_{13} by q_{12}) with respect to the variable q_{12} , which is $T_1^2T_2^3T_3^2T_4^2(S_2-1)^6S_2^{-3}$. But while proving Lemma 6.6 we have shown that the exponent of T_4 is always at least two, thus proving the existence of the l.o.t. in this case also. Hence this next l.o.t. has to vanish, and we conclude $q_{23} = 1$, so that the period matrix is decomposable.

Still for the cone σ_{K_3+1} , if $S_1S_2=1$, then applying the symplectic matrix $\begin{pmatrix} A & 0 \\ 0 & A^{-T} \end{pmatrix} \in Sp_{2g}(\mathbb{Z})$ with $A=\begin{pmatrix} 1 & 1 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{pmatrix}$, we get $\tau'=A\tau A^T$. The matrix A has been chosen so that

$$q'_{13} = \exp(2\pi i \tau'_{13}) = q_{13}q_{23} = S_1 S_2.$$

So we are now considering the expansion of $\theta_{\text{null}}|_{q'_{13}=1}$. Applying A changes the cone σ_{K_3+1} to the cone with unbounded variables

$$T_1' = q_{11}'(q_{12}')^{-1}, T_2' = q_{22}'(q_{12}')^{-1}, T_3' = q_{12}'$$

and $T'_4 = q'_{33}$. We claim that there is a unique lowest order term in this set of variables equal to the *lowest* order term in q'_{12} of the expression

$$(q'_{12}-1)^6(q'_{23}-1)^6(q'_{12})^{-3}(q'_{23})^{-3},$$

which has been obtained from (10) by replacing q_{13} by q_{12} and decorating all variables by primes. Again, we only need to check that each monomial is divisible by $(T'_4)^2$. The determination of the minimum in the proof in Lemma 6.6 is unchanged, when replacing $a_1 + a_2 - b_3$ by $a_1 + a_2 + b_3$, and this concludes the proof of the claim. It thus follows that $q'_{23} = 1$ and the Kuga curve is contained in $\mathcal{A}_3^{\text{dec}}$.

For the cone σ_{C_4} , for the l.o.t. to vanish we must have $\pm \tilde{S}_1 \pm \tilde{S}_2 + 1 = 0$. Since this is a relation in roots of unity, by Mann's theorem

it must have a solution with roots of order at most 6, and by going through the cases it then follows that \tilde{S}_1 and \tilde{S}_2 are sixth roots of unity, and we again have $S_1S_2=1$ (with both of them being third roots of unity). The four factors of (12) correspond to the l.o.t. of theta constants with $(\varepsilon_1, \varepsilon_2, \varepsilon_3) = (1, 1, 1)$ and varying δ , so that for these S_1, S_2 one of these factors vanishes. This term corresponds to a choice of n_i where $a_1 + a_2 + a_3 + b_1 + b_2 + b_3$ is minimal, equal to 1/8 with the given ε_i . But then there exist n_i where the forms a_i still attain their minima while this expression takes the next smallest value, i.e. $a_1 + a_2 + a_3 + b_1 + b_2 + b_3 = 9/8$. The two corresponding choices are precisely (0,0,0) and (-1,-1,-1), but then the corresponding coefficient is the same for both choices, in fact equal (up to a factor of a root of unity) to $S_1^{3/8}S_2^{3/8}$ for each such theta characteristic. Since $S_1S_2 = 0$ contradicts S_i being a root of unity, this implies that there are no Kuga curves whose closure intersects this boundary stratum.

For the cone σ_{K_4-1} , the l.o.t. can only vanish for $S_1 = 1$. In this case we again have to look at the next lowest order term after substituting $S_1 = q_{23} = 1$. The candidate for this term is the term of top degree in q_{13} and q_{12} in (10), with the roles of q_{23} and q_{12} exchanged. That this is indeed the l.o.t. follows with the same minimization argument as in the previous cases. But this term is just a non-zero constant and consequently, there does not exist a Kuga curve whose closure intersects this boundary stratum.

For the cone σ_{K_4} the lowest order term is manifestly non-zero as each $T_i \in \mathbb{C}^*$, so the closure of θ_{null} does not even intersect this boundary stratum.

Since we have now gone through all the possible strata of torus rank 3, it thus follows that there do not exist non-complete Kuga curves $C \subset \mathrm{Hyp}_3$ such that their closure intersects the locus of semiabelic varieties of torus rank 3.

7. Examples of Shimura curves of torus rank 2

For the case of torus rank two, we have the strata corresponding to the two cones σ_{1+1} and σ_{K_3} , and in the Fourier-Jacobi expansion the moduli coordinates will enter. We will thus attempt to proceed as above in ruling out the existence of hyperelliptic Kuga families of torus rank 1 and 3, but — which was very surprising for us — it will turn out along the way that such examples actually exist. While at the moment we are unable to fully classify examples of such Kuga curves (see Remark 7.7), we will naturally end up constructing an infinite collection of *Shimura*

(as opposed to just Kuga) curves given by Theorem 1.4, and finishing the proof of Theorem 1.2 for all the other cases.

We will first deal with the cone σ_{1+1} in Table 1, discovering our examples, and then show that none exist for σ_{K_3} . For the case of σ_{1+1} the Fourier-Jacobi expansion can be computed by applying formulas (6) and (7) twice. We will work with the period matrix τ , and denote for brevity $\tau' := \begin{pmatrix} \frac{\tau_{22}}{\tau_{23}} & \frac{\tau_{23}}{\tau_{33}} \end{pmatrix}$ its lower block. The Fourier-Jacobi expansion of the theta function is then given by

$$\theta \begin{bmatrix} 0 & 0 & \varepsilon_{3} \\ \delta_{1} & \delta_{2} & \delta_{3} \end{bmatrix} (\tau, 0) =$$

$$= \theta \begin{bmatrix} 0 & \varepsilon_{3} \\ \delta_{2} & \delta_{3} \end{bmatrix} (\tau', 0) + 2q_{11}^{1/2} (-1)^{\delta_{1}} \theta \begin{bmatrix} 0 & \varepsilon_{3} \\ \delta_{2} & \delta_{3} \end{bmatrix} \left(\tau', \frac{\tau_{12}}{\tau_{13}} \right)$$

$$= \theta_{m}(0) + 2q_{22}^{1/2} (-1)^{\delta_{2}} \theta_{m}(\tau_{23}) + 2q_{11}^{1/2} (-1)^{\delta_{1}} \theta_{m}(\tau_{13})$$

$$+ 2q_{11}^{1/2} q_{22}^{1/2} (-1)^{\delta_{1} + \delta_{2}} \left(q_{12} \theta_{m}(\tau_{13} - \tau_{23}) + q_{12}^{-1} \theta_{m}(\tau_{13} + \tau_{23}) \right)$$

$$+ O(q_{11}^{3/2}, q_{22}^{3/2})$$
(15)

up to higher order terms, where for brevity we have denoted $\theta_m(a) := \theta_{[\varepsilon_3,\delta_3]}(\tau_{33},a)$ the corresponding theta function with characteristic on the elliptic curve $E := \mathbb{C}/(\mathbb{Z} + \mathbb{Z}\tau_{33})$.

Similarly, for the case when $\varepsilon_1 = 1, \varepsilon_2 = 0$ we get

$$\theta \begin{bmatrix} 1 & 0 & \varepsilon_{3} \\ \delta_{1} & \delta_{2} & \delta_{3} \end{bmatrix} (\tau, 0) = 2i^{\delta_{1}} q_{11}^{1/8} \theta \begin{bmatrix} 0 & \varepsilon_{3} \\ \delta_{2} & \delta_{3} \end{bmatrix} \left(\tau', \frac{\tau_{12}}{2} \right)
= 2i^{\delta_{1}} q_{11}^{1/8} \theta_{m} (\frac{\tau_{13}}{2}) + 2i^{\delta_{i}+2\delta_{2}} q_{11}^{1/8} q_{22}^{1/2} \cdot
\cdot \left(q_{12}^{1/2} \theta_{m} (\frac{\tau_{13}}{2} + \tau_{23}) + q_{12}^{-1/2} \theta_{m} (\frac{\tau_{13}}{2} - \tau_{23}) \right) + O(q_{11}^{9/8}, q_{22}^{3/2}).$$
(16)

The case $\varepsilon_1 = 0$, $\varepsilon_2 = 1$ is of course completely analogous, and we do not need to treat it separately. For the case $\varepsilon_1 = \varepsilon_2 = 1$ it will turn out that we will need the full Fourier-Jacobi expansion, which we now

give, along with its first few terms:

$$\theta \begin{bmatrix} 1 & 1 & \varepsilon_{3} \\ \delta_{1} & \delta_{2} & \delta_{3} \end{bmatrix} (\tau, 0) =$$

$$= \sum_{N_{1} \in \mathbb{Z}} q_{11}^{(2N_{1}+1)^{2}/8} i^{(2N_{1}+1)\delta_{1}} \theta \begin{bmatrix} 1 & \varepsilon_{3} \\ \delta_{2} & \delta_{3} \end{bmatrix} \left(\tau', \frac{(2N_{1}+1)\tau_{12}/2}{(2N_{1}+1)\tau_{13}/2} \right)$$

$$= \sum_{N_{1}, N_{2} \in \mathbb{Z}} q_{11}^{n_{1}^{2}/8} q_{22}^{n_{2}^{2}/8} q_{12}^{n_{1}n_{2}/4} i^{n_{1}\delta_{1}+n_{2}\delta_{2}} \theta_{[\varepsilon_{3},\delta_{3}]} \left(\tau_{33}, \frac{n_{1}\tau_{13}+n_{2}\tau_{23}}{2} \right)$$

$$= 2\tilde{q}_{11}\tilde{q}_{22} \left(\tilde{q}_{12} i^{\delta_{1}+\delta_{2}} \theta_{m} \left(\frac{\tau_{13}+\tau_{23}}{2} \right) + \tilde{q}_{12}^{-1} i^{\delta_{1}-\delta_{2}} \theta_{m} \left(\frac{\tau_{13}-\tau_{23}}{2} \right) \right)$$

$$+ 2\tilde{q}_{11}\tilde{q}_{22}^{9} \left(\tilde{q}_{12}^{3} i^{\delta_{1}+3\delta_{2}} \theta_{m} \left(\frac{\tau_{13}+3\tau_{23}}{2} \right) + \tilde{q}_{12}^{-3} i^{\delta_{1}-3\delta_{2}} \theta_{m} \left(\frac{\tau_{13}-3\tau_{23}}{2} \right) \right)$$

$$+ 2\tilde{q}_{11}^{9} \tilde{q}_{22} \left(\tilde{q}_{12}^{3} i^{3\delta_{1}+\delta_{2}} \theta_{m} \left(\frac{3\tau_{13}+\tau_{23}}{2} \right) + \tilde{q}_{12}^{-3} i^{3\delta_{1}-\delta_{2}} \theta_{m} \left(\frac{3\tau_{13}-\tau_{23}}{2} \right) \right)$$

$$+ 2\tilde{q}_{11}^{9} \tilde{q}_{22}^{9} \left(\tilde{q}_{12}^{9} i^{3\delta_{1}+3\delta_{2}} \theta_{m} \left(\frac{3\tau_{13}+3\tau_{23}}{2} \right) + \tilde{q}_{12}^{-9} i^{3\delta_{1}-3\delta_{2}} \theta_{m} \left(\frac{3\tau_{13}-3\tau_{23}}{2} \right) \right)$$

$$+ O(\tilde{q}_{11}^{16}, \tilde{q}_{22}^{16})$$

where for convenience we have denoted

$$n_i := 2N_i + 1; \quad \tilde{q}_{11} := q_{11}^{1/8}; \quad \tilde{q}_{22} := q_{22}^{1/8}; \quad \tilde{q}_{12} := q_{12}^{1/4},$$
 (18)

and the 2's in the explicit expression appear, since the terms for (n_1, n_2) and $(-n_1, -n_2)$ are equal.

The expansions in these 3 cases are very different, and it turns out will have very different properties, so we will treat them separately

Proposition 7.1. A theta constant with $\varepsilon_1 = \varepsilon_2 = 0$ cannot vanish identically on a non-complete Shimura curve $C \subset Hyp_3$ (in the lifting to \mathbb{H}_3 given by Lemma 4.3), whose closure intersects the boundary stratum corresponding to σ_{1+1} .

Proof. Indeed, in this case by (15) the constant term of the theta constant is then $\theta_m(0)$, which for finite τ_{33} could only vanish if $\varepsilon_3 = \delta_3 = 1$. But in this case $[\varepsilon, \delta]$ is an odd characteristic, while by definition the theta-null is the product of all theta constants with even characteristics.

Proposition 7.2. A theta constant with $\varepsilon_1 = 1$, $\varepsilon_2 = 0$ cannot vanish identically on a non-complete Shimura curve $C \subset Hyp_3$ (in the lifting to \mathbb{H}_3 given by Lemma 4.3), whose closure intersects the boundary stratum corresponding to σ_{1+1} .

Proof. As the theta constant with $\varepsilon_1 = 0$ has no constant term, we first need to ascertain that the corresponding power series (with exponents in $(1/8)\mathbb{Z}$) in $T_1 = q_{11}$ and $T_2 = q_{22}$ has a unique lowest order term. This is of course clear from the formulas, as for $\varepsilon_1 = 1, \varepsilon_2 = 0$ all the

terms are divisible by $q_{11}^{1/8}$, while for $\varepsilon_1 = \varepsilon_2 = 1$ they are all divisible by $q_{11}^{1/8}q_{22}^{1/8}$.

Thus the lowest order term is then $q_{11}^{1/8}\theta_m(\frac{\tau_{13}}{2})$. For this term to vanish we need that $\tau_{13}/2 = (\tau_{33}(\varepsilon_3 + 1) + \delta_3 + 1)/2$ is the 2-torsion point on E determined by the characteristic. Consequently, $\tau_{13} = 0$, as a point on E. Then, since θ_m is an odd function around its zero $\frac{\tau_{13}}{2}$, we have $\theta_m(\frac{\tau_{13}}{2} + \tau_{23}) = -\theta_m(\frac{\tau_{13}}{2} - \tau_{23})$, and for the next lowest term we get

$$q_{12}^{1/2}\theta_m(\frac{\tau_{13}}{2} + \tau_{23}) + q_{12}^{-1/2}\theta_m(\frac{\tau_{13}}{2} - \tau_{23}) = (q_{12}^{1/2} - q_{12}^{-1/2})\theta_m(\frac{\tau_{13}}{2} + \tau_{23})$$

This can vanish only if $q_{12} = 1$, in which case $\tau_{12} = 0$, and the period matrix is decomposable, or if $\theta_m(\frac{\tau_{13}}{2} + \tau_{23}) = 0$, in which case since also $\theta_m(\frac{\tau_{13}}{2}) = 0$, and theta function in one variable has only one zero, we must have $\tau_{23} = 0$, and the period matrix is again decomposable. \square

Case
$$\varepsilon_1 = \varepsilon_2 = 1$$
.

The situation is strikingly more difficult here, and we discover the examples of Shimura curves. Indeed, recall that our period matrix τ is in fact given by (5), and we are supposed to order the terms in the expansion by their power of t. In this case, the values of rational numbers e_{11} and e_{22} in (5) matter for ordering the terms, as we have $q_{11} = e^{2\pi i b_{11}} q^{e_{11}}$ and $q_{22} = e^{2\pi i b_{22}} q^{e_{22}}$ (where we recall $q = e^{2\pi i t}$). Still, for the lowest order term there is no case distinction: it comes from $\tilde{q}_{11}\tilde{q}_{22}$, and for it to vanish is equivalent to

$$\tilde{q}_{12}^2 \theta_m(\frac{\tau_{13} + \tau_{23}}{2}) + (-1)^{\delta_2} \theta_m(\frac{\tau_{13} - \tau_{23}}{2}) = 0.$$

If the coefficient $\theta_m(\frac{\tau_{13}+\tau_{23}}{2})$ of \tilde{q}_{12} vanishes, then this equation implies that also $\theta_m(\frac{\tau_{13}-\tau_{23}}{2})=0$. Since the theta function has a unique zero up to a shift by lattice points, we deduce in this case that τ_{23} must be zero. Then furthermore $\frac{\tau_{13}}{2}$ must be the two-torsion point where the theta function vanishes, and thus finally $\tau_{13}=0$ and the period matrix is decomposable.

Consequently, independently of the relative size of e_{11} and e_{22} we must have

$$\tilde{q}_{12}^2 = (-1)^{\delta_2 + 1} \frac{\theta_m(\frac{\tau_{13} - \tau_{23}}{2})}{\theta_m(\frac{\tau_{13} + \tau_{23}}{2})}.$$
(19)

However, for the next lowest order term we have three possibilities, depending on the valuations.

Proposition 7.3. A theta constant with $\varepsilon_1 = \varepsilon_2 = 1$ cannot vanish identically on a non-complete Shimura curve $C \subset Hyp_3$, whose closure intersects the boundary stratum corresponding to σ_{1+1} unless we also have $e_{11} = e_{22}$ in the lifting to \mathbb{H}_3 given by Lemma 4.3.

Proof. Assume without loss of generality that $e_{11} < e_{22}$. Then the next lowest order term in the Fourier-Jacobi expansion is equal to $2i^{3\delta_1-\delta_2}$ times

$$\tilde{q}_{11}^{9} \tilde{q}_{22} \cdot \left(\tilde{q}_{12}^{3} (-1)^{\delta_2} \theta_m \left(\frac{3\tau_{13} + \tau_{23}}{2} \right) + \tilde{q}_{12}^{-3} \theta_m \left(\frac{3\tau_{13} - \tau_{23}}{2} \right) \right) \tag{20}$$

Combining this equation with (19) and eliminating \tilde{q}_{12} from both equations we get the identity

$$\theta_m(\tfrac{3\tau_{13}+\tau_{23}}{2})\,\theta_m^3(\tfrac{\tau_{13}-\tau_{23}}{2}) = \theta_m(\tfrac{\tau_{13}-\tau_{23}}{2})\,\theta_m^3(\tfrac{\tau_{13}+\tau_{23}}{2}).$$

Denoting $u := \tau_{23}/2$ and $v := \tau_{13}/2$, we thus consider this equality as a function of v: it is the identity

$$\theta_m(3v + u) \,\theta_m^3(v - u) = \theta_m(3v - u) \,\theta_m^3(v + u),$$

which as a function of u is a section of the bundle 4Θ on E, and thus for fixed v must have 4 zeroes in u, counted with multiplicity. Notice however that if we take u = n to be any two-torsion point on the elliptic curve, then this identity becomes simply

$$\theta_{m+n}(3v) \,\theta_{m+n}^3(-v) = \theta_{m+n}(-3v) \,\theta_{m+n}^3(v)$$

which is true for any 2-torsion point n (the signs match irrespective of the parity of m+n). Thus we have found all the four roots of this equation, and thus the only solutions are for $u = \tau_{23}/2$ to be a 2-torsion point, which means that $\tau_{23} = 0$. Similarly to the case $\varepsilon_1 = \varepsilon_2 = 0$ above, from (19) we then get $q_{12} = 1$, so that $\tau_{12} = 0$, and the period matrix again becomes decomposable.

Subcase $e_{11} = e_{22}$:

Finally, this is the only possible situation when we get the examples. By reparameterizing t we can then assume $\tilde{q}_{11}=q$, and denote $\gamma:=\tilde{q}_{22}/\tilde{q}_{11}=e^{\pi i(b_{22}-b_{11})/4}$. As in this case our goal turns out to be constructing infinitely many examples, for simplicity of computation let us take $\delta_1=\delta_2=1$ and $\varepsilon_3=\delta_3=0$, in which case we will already exhibit infinitely many distinct Shimura curves. For brevity, we denote

$$\theta(n_1, n_2) := \theta_{[0,0]} \Big(\tau_{33}, \frac{n_1 \tau_{13} + n_2 \tau_{23}}{2} \Big).$$

Next, for further use we rewrite the Fourier-Jacobi series given by (17), by gathering together the terms for both signs of n_2 , and also for interchanging n_1 and n_2 . We obtain

$$\frac{1}{2} \theta \begin{bmatrix} 1 & 1 & 0 \\ 1 & 1 & 0 \end{bmatrix} (\tau, 0) =$$

$$= \sum_{\substack{n_1 > 0 \text{ odd,} \\ n_2 \text{ odd}}} \tilde{q}_{11}^{n_1^2} \, \tilde{q}_{22}^{n_2^2} \, \tilde{q}_{12}^{n_1 n_2} i^{n_1 + n_2} \, \theta(n_1, n_2)$$

$$= \sum_{\substack{n_1 > n_2 > 0, \\ \text{both odd}}} q^{n_1^2 + n_2^2} \, \tilde{q}_{12}^{n_1 n_2} \left(i^{n_1 + n_2} \, \theta(n_1, n_2) + i^{n_1 - n_2} \, \tilde{q}_{12}^{-2n_1 n_2} \, \theta(n_1, -n_2) \right)$$

$$+ i^{n_2 + n_1} \, \gamma^{n_1^2 - n_2^2} \, \theta(n_2, n_1) + i^{n_2 - n_1} \, \tilde{q}_{12}^{-2n_1 n_2} \, \gamma^{n_1^2 - n_2^2} \, \theta(n_2, -n_1) \right)$$

$$+ \sum_{\substack{n_1 > 0 \text{ odd}}} q^{2n_1^2} \, \left(-1 \right)^{n_1} \, \tilde{q}_{12}^{n_1^2} \left(\theta(n_1, n_1) - \tilde{q}_{12}^{-2n_1^2} \theta(n_1, -n_1) \right),$$

where the last sum accounts for the terms with $n_1 = n_2$.

The simplest way in which this power series can vanish is if every summand vanishes, that is the sum of two terms in the last line is zero for any n_1 , and the sum of the four terms in the two preceding lines is zero for any $n_1 > n_2$. The vanishing of the sum of two terms in the last line can most easily be achieved if the values of the theta function $\theta(n_1, n_1)$ and $\theta(n_1, -n_1)$ are related by the automorphy property. By inspection, this would be the case if we choose $\tau_{33} = i$, and require $\tau_{13} = i\tau_{23}$. Indeed, using $\begin{pmatrix} 0 & 1 \\ -1 & 0 \end{pmatrix}$ i = i the theta transformation formula in genus one reads (where we drop the argument $\tau = i = \tau_{33}$ of the theta function

$$\theta_{[\delta_3,\varepsilon_3]}(iv) = i^{-\varepsilon_3\delta_3} \exp(\pi v^2) \theta_{[\epsilon_3,\delta_3]}(v). \tag{22}$$

By Corollary 4.4 we know that $\tau_{13} = r_{13} + ai$, $\tau_{23} = r_{23} + bi$ and $\tau_{12} = r_{12} + abi$ for $a, b, r_{ij} \in \mathbb{Q}$, and the condition $\tau_{13} = i\tau_{23}$ thus gives $\tau_{13} = -b + ai$ and $\tau_{23} = a + bi$.

Thus using (22), we get from (19)

$$\tilde{q}_{12}^2 = \exp(\pi i \tau_{23}^2 / 2). \tag{23}$$

This holds if $r_{12} + abi \equiv i\tau_{23}^2/2 \mod \mathbb{Z}$, i.e. if $r_{12} \equiv (a^2 - b^2)/2 \mod \mathbb{Z}$. We now consider the next term in the Fourier-Jacobi expansion, corresponding to $(n_1, n_2) = (3, 1)$ in (21), where we get the following 4 summands:

$$-\gamma^{8} \left(\tilde{q}_{12}^{-6} \theta_{[0,0]} \left(\frac{1+3i}{2} \tau_{13} \right) - \theta_{[0,0]} \left(\frac{1-3i}{2} \tau_{13} \right) \right) + \theta_{[0,0]} \left(\frac{3-i}{2} \tau_{13} \right) - \tilde{q}_{12}^{-6} \theta_{[0,0]} \left(\frac{3+i}{2} \tau_{13} \right) = 0,$$

$$(24)$$

We notice that the ratio of the first and the third summand is the same as the ratio of the second and fourth summand, as follows from the value of \tilde{q}_{12} given by (19), and the theta transformation formula (22). We can thus solve to obtain

$$\gamma = \exp(-\pi \tau_{13}^2/4) = \exp(\pi \tau_{23}^2/4). \tag{25}$$

We thus conclude that we must have $r_{22} \equiv 2ab \mod \mathbb{Z}$. Finally, substituting all of these values in Corollary 4.4, this means that the lift of the Shimura curve to \mathbb{H}_3 given by Corollary 4.4 has the form

$$\varphi(t) = \begin{pmatrix} t + a^2i & \frac{a^2 - b^2}{2} + abi & -b + ai \\ \frac{a^2 - b^2}{2} + abi & t + 2ab + b^2i & a + bi \\ -b + ai & a + bi & i \end{pmatrix}$$
(26)

By Remark 4.5 this expression indeed defines a Kuga curve. With $u = a + bi \in \mathbb{Q} + \mathbb{Q}i$, we notice that this is precisely the same expression as (1) up to the shift of the parameter $t \mapsto t + 2ab + b^2i$.

Moreover, since $\tau_{33} = i$ defines an elliptic curve with complex multiplication, for t = i the abelian variety defined by $\varphi(t)$ is isogenous to E_i^3 . Thus the family has a CM point, and defines a Shimura curve (not just Kuga). To prove Theorem 1.4 it suffices to show that the Shimura curves constructed above lie in the hyperelliptic locus.

Proof of Theorem 1.4. Indeed, to show that the Shimura curves given by the above equation or (1) lie in the hyperelliptic locus, it suffices to show that some theta constant vanishes identically on them. The vanishing theta constant is of course the one with characteristic $\begin{bmatrix} 1 & 1 & 0 \\ 1 & 1 & 0 \end{bmatrix}$, and to show that it vanishes we need to show that its Fourier-Jacobi expansion given by (21) vanishes term by term. The vanishing of the sum of two terms in the last line, for any n_1 , follows immediately upon substituting the value of \tilde{q}_{12} given by (23) and using the theta transformation formula (22).

We now consider the sum of four terms in (21) for $n_1 > n_2$. We divide the expression by $i^{n_1+n_2}$, use that both n_i are odd and substitute the value of \tilde{q}_{12} from (23) and the value of $\gamma = \exp(-\pi \tau_{13}^2/4)$ from (25) to obtain

$$\theta(n_{1}, n_{2}) - \tilde{q}_{12}^{-2n_{1}n_{2}} \theta(n_{1}, -n_{2}) + \gamma^{n_{1}^{2} - n_{2}^{2}} \left(\theta(n_{2}, n_{1}) - \tilde{q}_{12}^{-2n_{1}n_{2}} \theta(n_{2}, -n_{1})\right)$$

$$= \theta_{[0,0]} \left(\frac{n_{1} - n_{2}i}{2} \tau_{13}\right) - \exp\left(\pi i \frac{n_{1}n_{2}}{2} \tau_{13}^{2}\right) \theta_{[0,0]} \left(\frac{n_{1} + n_{2}i}{2} \tau_{13}\right)$$

$$+ \exp\left(-\pi \frac{n_{1}^{2} - n_{2}^{2}}{4} \tau_{13}^{2}\right) \left(\theta_{[0,0]} \left(\frac{n_{2} - n_{1}i}{2} \tau_{13}\right) - \exp\left(\pi i \frac{n_{1}n_{2}}{2} \tau_{13}^{2}\right) \theta_{[0,0]} \left(\frac{n_{2} + n_{1}i}{2} \tau_{13}\right)\right)$$
Using formula (22) we obtain

$$\theta_{[0,0]}(\frac{n_2-n_1i}{2}\tau_{13}) = \exp(\pi \frac{(n_1+n_2i)^2}{4}\tau_{13}^2)\,\theta_{[0,0]}(\frac{n_1+n_2i}{2}\tau_{13})$$

and similarly

$$\theta_{[0,0]}(\frac{n_2+n_1i}{2}\tau_{13}) = \exp(\pi \frac{(n_1-n_2i)^2}{4}\tau_{13}^2) \,\theta_{[0,0]}(\frac{n_1-n_2i}{2}\tau_{13}),$$

so that the exponential factors involving τ_{13}^2 in the formula above match pairwise. Thus the Fourier-Jacobi expansion in this case vanishes identically in t, as it vanishes term by term.

To see that the curve given by (26) for any $a, b \in \mathbb{Q}$, not both integers, is not contained in \mathcal{A}_3^{dec} , it suffices to check that no other theta constant vanishes identically in t — since a smooth hyperelliptic Jacobian of genus 3 only has one vanishing theta constant. By Propositions 7.1 and 7.2 this could happen only for $\varepsilon_1 = \varepsilon_2 = 1$. If $\varepsilon_3 = \delta_3$, so that on both sides of the theta transformation formula the same characteristic appears, we combine (19) and (22) to obtain

$$\tilde{q}_{12}^2 = (-1)^{\delta_2 + 1} i^{-\epsilon_3^2} \exp(\pi i \tau_{23}^2 / 2).$$

Comparing with (23), we conclude $\delta_2 = 1$ and $\varepsilon_3 = \delta_3 = 1$, hence $\delta_1 = 1$ by the parity. If $\varepsilon_3 \neq \delta_3$ we obtain from comparing (23) to (19) and (22) that

$$\theta_{[1,0]}(\frac{1+i}{2}\tau_{23}) = (-1)^{\delta_2+1}\theta_{[0,1]}(\frac{1+i}{2}\tau_{23}).$$

The ratio $f(z) = (\theta_{[1,0]}(z)/\theta_{[0,1]}(z))^2$ is the ratio of two sections of the line bundle 2Θ on the elliptic curve $E_i = \mathbb{C}/\mathbb{Z} + \mathbb{Z}i$ given by $\tau_{33} = i$, and since the degree of Θ is equal to one, it follows that $f: E_i \to \mathbb{P}^1$ gives a degree two map. Since both the numerator and denominator are even functions, f is an even map, so that f(z) = f(-z), and the branch points of the cover are thus at $0, \frac{1}{2}, \frac{i}{2}$, and $\frac{1+i}{2}$. By the transformation formula we have f(0) = 1. Since 0 is a branch point there cannot be any other point $z \neq 0$ such that f(z) = 1, and thus we must have $\tau_{23} = 0$, which finally proves that the curves constructed above are not contained in \mathcal{A}_3^{dec} .

To prove the theorem it thus remains to show that (26) for a, b varying in \mathbb{Q} yields infinitely many *distinct* Shimura curves in Hyp₃, which is the content of the following proposition.

Proposition 7.4. Let C_u be the Shimura curve defined by the period matrix (1). As u varies in $\mathbb{Q} + i\mathbb{Q}$ the degree of the restriction of the polarization to the fixed part is unbounded.

In particular, there are infinitely many different Shimura curves among the C_u .

Proof. The fixed part of Shimura curves given by (1) is V/Λ , where $V = \mathbb{C}(0,0,1)^t$ and Λ is the intersection of the column span of the

period matrix $\Pi_u(t)$ with V. In the special case $u = n^{-1} + n^{-1}i$ for $n \in \mathbb{Z}$, one calculates that

$$\Lambda = \langle n^2 c_1 + n^2 c_2 - (2n^2 - 1)c_3 - n^2(2n^2 - 1)c_4 + n^2 c_5, c_6 \rangle,$$

where c_i are the columns of the period matrix $\Pi_u(t)$. This implies that $\Lambda = \langle (0,0,n^3i)^T, (0,0,1)^T \rangle$. Hence the degree of the polarization restricted to the fixed part of the Shimura curve is equal to n^3 (and is thus unbounded as n grows). Since this degree is an intrinsic property of the Shimura curve, independent of the period matrix representative, the curves C_u with u = (1+i)/n are all distinct, proving the second claim.

Remark 7.5. We remark that the two-dimensional subvariety of \mathbb{H}_3 given by (1) parameterized by u, t is not a two-dimensional Shimura variety (maybe not even an algebraic subvariety of \mathcal{A}_3). In fact, if it were a Shimura variety, the unipotent part of the stabilizer of ∞ in $\mathrm{Sp}_6(\mathbb{Z})$ would have to intersect the stabilizer of this this two-dimensional object in a group of rank two. A unipotent element stabilizing ∞ acts by translating the period matrix by $B = (b_{ij}) \in \mathbb{Z}^3$. If $\Pi_u(t) + B = \Pi_{u'}(t')$, then comparison of the (1,3) and (2,3) entries implies u = u' and $b_{13} = b_{23}$. We first deduce that $t' = t + b_{11}$, $b_{11} = b_{22}$ and that all other entries of B are zero, hence that the intersection has at most rank one. In Section 8 we will show that the curve obtained above for a = b = 1/2 in (26) indeed gives a Shimura curve corresponding to the locus with a given automorphism group.

The proof of the last case is analogous to the previous propositions, but significantly easier — and leads to no further examples.

Proposition 7.6. There does not exist a non-complete Kuga curves $S \subset \operatorname{Hyp}_3$ whose closure in $\overline{\mathcal{A}}_3$ contains a point in the stratum corresponding to σ_{K_3} .

Proof. For the case $\varepsilon_1 = \varepsilon_2 = 0$ there is simply no change in the constant term, and the same argument as for σ_{1+1} applies. For $\varepsilon_1 = 1 \neq 0 = \varepsilon_2$ the lowest order term is still the same, while the next term only contains one summand (recall that we have $q_{11} = T_1 T_3$, $q_{22} = T_2 T_3$, and are now expanding also in $q_{12} = T_3^{-1}$), and is now equal to $q_{11}^{1/8} q_{12}^{1/2} \theta_m(\frac{\tau_{13}}{2} + \tau_{23})$, which again can only vanish together with the lowest order term if $\tau_{13} = \tau_{23} = 0$, so that the period matrix is decomposable.

Finally for the case $\varepsilon_1 = \varepsilon_2 = 1$, in the lowest order term that we had for σ_{1+1} we only have one summand of lowest order in $q_{12}^{-1} = T_3$,

and thus we must have

$$\theta_m(\frac{\tau_{13}+\tau_{23}}{2})=0,$$

which means that this must be the value of the theta constant at a 2-torsion point of the elliptic curve E, and thus we must have $\tau_{13} + \tau_{23} = 0$ on E. To determine the next lowest term, we note that $q_{12}^{-1/2} = T_3^{1/2}$, while $q_{12}^{1/2}q_{22} = T_2T_3^{1/2}$. Thus the next lowest order term must be simply the next summand of what was the lowest order term for the cone σ_{1+1} , i.e. $(-1)^{\delta_2}T_3^{1/2}\theta_m(\frac{\tau_{13}-\tau_{23}}{2})$. For this to also vanish implies $\tau_{13}-\tau_{23}=0$, so that we finally have $\tau_{13}=\tau_{23}=0$, and the period matrix is again decomposable.

Remark 7.7. It would be interesting to enumerate all non-complete Shimura curves contained in Hyp₃; as the above (together with the proposition below) shows that the closure of these must all intersect the boundary stratum corresponding to σ_{1+1} , must have $e_{11} = e_{22}$, and the vanishing theta constant must have $\varepsilon_1 = \varepsilon_2 = 1$. For $\delta_1 = \delta_2 = 0 = \varepsilon_3 = \delta_3$ and $\tau_{33} = i$ one can construct similarly to the above an infinite number of such Shimura curves by setting each term in the version of (21) for the other characteristic equal to zero. More generally, the same construction still works if one replaces $\tau_{33} = i$ by $\tau_{33} \in \mathbb{Q} + \mathbb{Q}i$. So a first step is to generalize Proposition 7.4 to a classification of the resulting curves up to the action of $\mathrm{Sp}_6(\mathbb{Z})$.

Beyond that, the first step towards a complete classification would be to solve (19) in complete generality, that is to determine for which $\tau_{33} \in \mathbb{H}$ (besides $\tau_{33} \in \mathbb{Q} + \mathbb{Q}i$) there exist rational numbers $a, b, r_{12}, r_{13}, r_{23}$, such that

$$\exp(2\pi i(r_{12} + ab\tau_{33})) = (-1)^{\delta_2 + 1} \frac{\theta_m(r_{13} - r_{23} + (a-b)\tau_{33})}{\theta_m(r_{13} + r_{23} + (a+b)\tau_{33})}.$$

8. The
$$(\mathbb{Z}_2 \times \mathbb{Z}_4)$$
-family

In this section we consider the family of hyperelliptic curves of genus three that are obtained as cyclic covers of \mathbb{P}^1 such that generically the reduced (modulo the hyperelliptic involution) automorphism group is equal to $\mathbb{Z}_2 \times \mathbb{Z}_4$. This family appears in the table of Moonen and Oort in [MO10, Table 2 in § 6, Eq. (22)] and was recently investigated in detail by Lu and Zuo in [LZ07] who verify that it is a non-complete Shimura curve. Besides determining singular fibers, they also checked that the family, given as an abelian cover in [MO10] has explicitly the hyperelliptic equation

$$X_s: w^2 = z(z+1)(z-1)(1+2sz^2+z^4),$$

where $s \in \mathbb{C}$ is a parameter. This family admits two automorphisms of order four given by $T_0(z,w) = (-z,iw)$ and $T_1(z,w) = (1/z,iw/z^4)$. Since by definition $T_0^2 = T_1^2$ is the hyperelliptic involution, for any s the reduced automorphism group of X_s contains (and by [KK79, Equation (10)] in fact equals) $\mathbb{Z}_2 \times \mathbb{Z}_4$. We will now identify this family as the Shimura curve obtained above for a = b = 1/2, by computing its period matrices refining Bolza's method (see [BL04, Section 11.7]) of comparing the action of automorphisms on homology and differential forms.

Proposition 8.1. The period matrices of the family X_s are given by

$$\begin{pmatrix} \frac{t}{2} - \frac{1}{2} & -\frac{1}{4} & -\frac{1}{2} \\ -\frac{1}{4} & \frac{t}{2} & -\frac{1}{2} \\ -\frac{1}{2} & -\frac{1}{2} & -\frac{1}{2} + \frac{i}{2} \end{pmatrix}$$
 (27)

for $t \in \mathbb{H}$ or equivalently by

$$\begin{pmatrix} \frac{t}{2} + \frac{i}{4} - \frac{1}{4} & \frac{i}{4} & \frac{1}{2} + \frac{i}{2} \\ \frac{i}{4} & \frac{t}{2} + \frac{i}{4} + \frac{1}{4} & \frac{1}{2} + \frac{i}{2} \\ \frac{1}{2} + \frac{i}{2} & \frac{1}{2} + \frac{I}{2} & i \end{pmatrix}$$
(28)

which agrees with the family in (1) for $u = \frac{1+i}{2}$ (i.e. with (26) for a = b = 1/2) up to the reparameterization $t \mapsto \frac{t}{2} + \frac{I}{4} + \frac{1}{4}$.

The proof will be given in the rest of this section. We will not discuss the uniformization of the Shimura curve, i.e. we will not be interested in the function relating t in the matrices above to the parameter s for the family.

For s=1/2 the special fiber $X_{1/2}$ is isomorphic to $w^2=z(z^6-1)$, and we claim that its automorphism group is generated by $T_1(z)=(1/z,i\,w/z^4)$ of order four and $T(z,w)=(\zeta^2z,\zeta w)$ of order twelve (where ζ be a primitive 12-th root of unity), with $T_1^2=T^6$ the hyperelliptic involution. In fact, $X_{1/2}$ is the unique hyperelliptic curve with this automorphism group by [KK79, Equation 3]. The period matrix of this special fiber is calculated in [Sch93], whose notation we follow. He gives the period matrix as an element in \mathbb{H}_3 , but in order to deform, we need the full set of periods with respect to a symplectic basis on which we compute the action of the automorphisms.

As a basis of differential forms on $X_{1/2}$, we use $\{dz/w, zdz/w, z^2dz/w\}$, which is an eigenbasis for the action of T with eigenvalues ζ , ζ^3 , ζ^5 respectively. We choose the symplectic basis of homology given by the γ_i and δ_i , i=1,2,3 as in [Sch93, Section 2 and Figure 3]. We then denote by $\Pi \in \mathbb{C}^{3\times 6}$ the corresponding full period matrix. The action of T and T_1 in this basis is given by the symplectic matrices

$$M = \begin{pmatrix} 0 & 0 & 0 & 1 & -1 & 0 \\ 0 & 0 & 0 & 0 & 1 & -1 \\ 0 & 0 & 0 & 0 & 0 & 1 \\ -1 & 0 & 0 & 0 & 1 & 0 \\ -1 & -1 & 0 & 1 & 0 & 0 \\ -1 & -1 & -1 & 1 & 0 & 0 \end{pmatrix} \quad \text{and} \quad M_1 = \begin{pmatrix} 0 & 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & -1 & 1 \\ 0 & 0 & 0 & 0 & -1 & 1 \\ -1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & 0 \end{pmatrix},$$

respectively, as given in [Sch93], or as can be calculated directly by tracing the action of T_1 . If we denote by L the diagonal matrix with eigenvalues ζ , ζ^3 , ζ^5 on the diagonal, then the compatibility of the action on differential forms and on homology gives

$$L\Pi = \Pi M$$

which determines Π uniquely up to multiplying each row by a scalar. We conclude that

$$\Pi_{1/2} = \begin{pmatrix} \zeta^2 + \zeta & \zeta^2 + 1 & 1 & -\zeta^2 + \zeta & -\zeta^3 & -\zeta \\ 1/2 - \zeta^3 / 2 & 0 & 1 & -1/2 - \zeta^3 / 2 & \zeta^3 & -\zeta^3 \\ 1 - \zeta - \zeta^2 + \zeta^3 & 2 - \zeta^2 & 1 & \zeta^4 + \zeta^5 & -\zeta^3 & -\zeta^5 \end{pmatrix}$$

The special fiber $X_{1/2}$ admits many maps to elliptic curves and to genus two curves, and we need to single out the maps that deform to give global isogenies of the family X_s onto a product. To this end, note that the global automorphism T_0 of the family restricts to T^3 on the special fiber $X_{1/2}$. Hence we need to compute the eigenspaces of an automorphism that deforms to an automorphism of the general fiber and that moreover possesse a non-trivial invariant subspace. One such automorphism is T_0T^3 , for which we easily calculate its invariant subspace and (-1)-eigenspaces; thus writing everything in this basis, we see that

$$B_D = \begin{pmatrix} -\zeta^4/2 & 0 & 1/2 \\ 0 & 1 & 0 \\ \zeta^4/2 & 0 & 1/2 \end{pmatrix} \quad \text{and} \quad B_H = \begin{pmatrix} 0 & 0 & 1 & 0 & 0 & 0 \\ -1 & 0 & -1 & 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 & 0 \\ -1 & 0 & 0 & 0 & 0 & 1 & 0 \\ -2 & 0 & 0 & 0 & 1 & 0 \\ -1 & -2 & -1 & 1 & 0 & 0 \end{pmatrix}$$

diagonalize the action of T_0T^3 on homology and on differential forms respectively, i.e. $B_D^{-1}L_0L_1^3B_D = \text{diag}(1,1,-1)$ and

$$B_H M_0 M_1^3 B_H^{-1} = \text{diag}(1, 1, -1, 1, 1, -1).$$

(Note that B_H has the eigenvectors in its rows, since the action on homology on the period matrix is from the right.) After this base change, the period matrix becomes the block matrix

$$\Pi_B = B_D \, \Pi_{1/2} \, B_H^{-1} = \begin{pmatrix} \zeta^2 + \zeta & \zeta^2 + 1 & 0 & 1 & -\zeta^2 + \zeta & 0 \\ 1/2 - \zeta^4 / 2 & -1/2 - \zeta^4 / 2 & 0 & -\zeta^4 & \zeta^4 & 0 \\ 0 & 0 & -\zeta/2 - \zeta^3 / 2 & 0 & 0 & \zeta^4 / 2 - 1/2 \end{pmatrix}$$

The block of the two upper rows and columns 1, 2, 4, 5 of this matrix after a suitable base change becomes

$$\Pi_2 = \begin{pmatrix} -1 - \frac{5}{3}i & -1 + \frac{1}{3}i & 2 & 0 \\ -1 + \frac{1}{3}i & -1 + \frac{2}{3}i & 0 & 1 \end{pmatrix}$$

and the left 2×2 -block of Π_2 is transformed by

$$S = \begin{pmatrix} 0 & 0 & 1 & -1 \\ 1 & 0 & 1 & 1 \\ 0 & 1 & 1 & 1 \\ 0 & 0 & 1 & 0 \end{pmatrix} \in \operatorname{Sp}_4(\mathbb{Z}) \quad \text{into} \quad Z_2 = \begin{pmatrix} \frac{3}{2}i & \frac{1}{2} \\ \frac{1}{2} & \frac{3}{2}i \end{pmatrix}$$

To summarize, we write $\Pi_{1/2} = (\Pi_{1/2}^{\ell} \Pi_{1/2}^{r})$ as two 3×3 blocks, and consider the period matrix $Z_{1/2} = (\Pi_{1/2}^{r})^{-1} \Pi_{1/2}^{\ell}$. Let $S_3 \in \operatorname{Sp}_6(\mathbb{Z})$ be the image of S under the natural upper left block inclusion $\operatorname{Sp}_4(\mathbb{Z}) \to \operatorname{Sp}_6(\mathbb{Z})$. We conclude that the isogeny from the Jacobian of $X_{1/2}$ to the product abelian variety with period matrix $\begin{pmatrix} Z_2 & 0 \\ 0 & i \end{pmatrix}$ is given by $S_3 D(B_H^{-1})^T$, where $D = \operatorname{diag}(1,1,1,2,1,1)$ (since the action on the full period matrix by a base change on homology corresponds to the fractional action on the period matrix in \mathbb{H}_3 by the transpose matrix).

On the other hand we now consider the family Y_s of quotients of X_s by the involution T_0T^3 . It is given by the affine equation

$$Y_s = \{y^4 = x^2(x-1)((s+1)x + (1-s))^2\}$$

with the quotient map given by

$$(z,w) \mapsto (x,y) = \left(\left(\frac{z^2 - 1}{z^2 + 1} \right)^2, \frac{w}{2(z^2 + 1)^2} \right).$$

This is one of the families of genus two curves, whose automorphism group is sufficiently large to directly determine the period matrix. In fact, besides the cyclic group of order four given by $(x,y) \mapsto (x,iy)$ the involution that acts on \mathbb{P}^1_x by the permutation $(0\frac{1-s}{s+1})(1\infty)$ on the branch points lifts to an automorphism of Y_s . Consequently, the reduced automorphism group of Y_s is the Klein four group, and the period matrices, given in [BL04, Type II in the table p. 340] are

$$Z_S = \left(\begin{smallmatrix} S & \frac{1}{2} \\ \frac{1}{2} & S \end{smallmatrix}\right).$$

where we note that S in this parametrization is not the same as the parameter s that we are using — in particular, the special fiber s = 1/2 corresponds to $S = \frac{3}{2}i$.

Since the set of isogenies between any pair of abelian varieties is a discrete datum, they persist under small deformation. We conclude that the period matrices of the family X_s are given by $B_H^T D S_3^{-1} \begin{pmatrix} Z_S & 0 \\ 0 & i \end{pmatrix}$. Composition with the symplectic matrices

$$C_1 = \begin{pmatrix} 1 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 & 0 & 0 \\ 1 & 0 & 0 & 0 & 1 & 0 & 0 \\ -1 & 1 & 0 & 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 & 0 & 0 \\ 0 & -1 & 0 & 0 & 0 & 0 & 0 \end{pmatrix} \quad \text{or} \quad C_2 = \begin{pmatrix} 1 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & -1 & 0 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 & 0 & 0 \end{pmatrix} C_1$$

gives

$$C_1 B_H^{-1} S_3^{-1} \begin{pmatrix} z_{S \ 0} \\ 0 \ i \end{pmatrix} = \begin{pmatrix} 1 & 0 & 0 & -1 & -1 & -1 \\ 0 & 1 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & -1 & -1 & -1 \\ 0 & 0 & 0 & 2 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 2 \end{pmatrix} \begin{pmatrix} z_{S \ 0} \\ 0 & i \end{pmatrix} = \begin{pmatrix} \frac{t}{2} - \frac{1}{2} & -\frac{1}{4} & -\frac{1}{2} \\ -\frac{1}{4} & \frac{t}{2} & -\frac{1}{2} \\ -\frac{1}{2} & -\frac{1}{2} & -\frac{1}{2} + \frac{I}{2} \end{pmatrix}.$$

which gives a period matrix in the form required by Lemma 4.3. The base change $C_2B_H^{-1}S_3^{-1}$ gives the second version of the period matrix and completes the proof of Proposition 8.1.

REFERENCES

- [ACGH85] E. Arbarello, M. Cornalba, P. A. Griffiths, and J. Harris. Geometry of algebraic curves. Vol. I, volume 267 of Grundlehren der Mathematischen Wissenschaften [Fundamental Principles of Mathematical Sciences]. Springer-Verlag, New York, 1985.
- [BL04] C. Birkenhake and H. Lange. Complex Abelian Varieties, volume 302 of Grundlehren der Mathematischen Wissenschaften. Springer-Verlag, Berlin, second edition, 2004.
- [FC90] G. Faltings and C.-L. Chai. Degeneration of abelian varieties, volume 22 of Ergebnisse der Mathematik und ihrer Grenzgebiete (3). Springer-Verlag, Berlin, 1990. With an appendix by David Mumford.
- [Fre83] E. Freitag. Die Irreduzibilität der Schottkyrelation (Bemerkung zu einem Satz von J. Igusa). Arch. Math. (Basel), 40(3):255–259, 1983.
- [GH13] S. Grushevsky and K. Hulek. Geometry of theta divisors a survey. 2013. preprint arXiv:1204.2734; A Celebration of Algebraic Geometry, Clay Mathematics Proceedings, Volume published on the occasion of Joe Harris' 60th birthday, to appear.
- [Gra88] D. Grant. A generalization of Jacobi's derivative formula to dimension two. J. Reine Angew. Math., 392:125–136, 1988.
- [GSM09] S. Grushevsky and R. Salvati Manni. The loci of abelian varieties with points of high multiplicity on the theta divisor. *Geom. Dedicata*, 139:233–247, 2009.
- [HKW93] K. Hulek, C. Kahn, and S. Weintraub. Moduli spaces of abelian surfaces: compactification, degenerations, and theta functions, volume 12 of de Gruyter Expositions in Mathematics. Walter de Gruyter & Co., Berlin, 1993.
- [HS04] K. Hulek and G. Sankaran. The nef cone of toroidal compactifications of \mathcal{A}_4 . Proc. London Math. Soc. (3), 88(3):659–704, 2004.
- [HT10] K. Hulek and O. Tommasi. Cohomology of the toroidal compactification of \mathcal{A}_3 . In *Vector bundles and complex geometry*, volume 522 of *Contemp. Math.*, pages 89–103. Amer. Math. Soc., Providence, RI, 2010.
- [Igu67] J.-I. Igusa. A desingularization problem in the theory of Siegel modular functions. *Math. Ann.*, 168:228–260, 1967.
- [Igu81] J.-I. Igusa. Schottky's invariant and quadratic forms. In E. B. Christoffel (Aachen/Monschau, 1979), pages 352–362. Birkhäuser, Basel, 1981.
- [KK79] Akikazu Kuribayashi and Kaname Komiya. On Weierstrass points and automorphisms of curves of genus three. In *Algebraic geometry (Proc.*

- Summer Meeting, Univ. Copenhagen, Copenhagen, 1978), volume 732 of Lecture Notes in Math., pages 253–299. Springer, Berlin, 1979.
- [LZ07] X. Lu and K Zuo. On Shimura curves in the Torelli locus of curves , 2007, arXiv:math.AG/1311.5858.
- [Man65] H. Mann. On linear relations between roots of unity. *Mathematika*, 12:107–117, 1965.
- [McM03] C. McMullen. Billiards and Teichmüller curves on Hilbert modular surfaces. J. Amer. Math. Soc., 16(4):857–885, 2003.
- [MO10] B. Moonen and F. Oort. The Torelli locus and special subvarieties., 2010, Preprint. Submitted to the Handbook of Moduli (G. Farkas and I. Morrisson, eds).
- [Möll1] M. Möller. Shimura and Teichmüller curves. J. Mod. Dyn., 5(1):1–32, 2011.
- [MVZ06] M. Möller, E. Viehweg, and K. Zuo. Special families of curves, of abelian varieties, and of certain minimal manifolds over curves. In *Global aspects of complex geometry*, pages 417–450. Springer, Berlin, 2006.
- [MVZ07] M. Möller, E. Viehweg, and K Zuo. Stability of Hodge bundles and a numerical characterization of Shimura varieties., 2007, arXiv:math.AG/0706.3462, to appear in J. Diff. Geom.
- [Nak75] I. Nakamura. On moduli of stable quasi abelian varieties. *Nagoya Math.* J., 58:149–214, 1975.
- [Sch88] F. Schottky. Zur Theorie der abelschen Functionen vor vier Variablen. J. Reine Angew. Math., 102:304–352, 1888.
- [Sch93] B. Schindler. Period matrices of hyperelliptic curves. *Manuscripta Math.*, 78(4):369–380, 1993.
- [Val03] F. Vallentin. Sphere coverings, lattices, and tilings (in low dimensions). PhD thesis, Center for Mathematical Sciences, Munich University of Technology, Munich, Germany, 2003.
- [VZ04] E. Viehweg and K. Zuo. A characterization of certain Shimura curves in the moduli stack of abelian varieties. *J. Differential Geom.*, 66(2):233–287, 2004.
- [Xia92] G. Xiao. Irregular families of hyperelliptic curves. In Algebraic geometry and algebraic number theory (Tianjin, 1989–1990), volume 3 of Nankai Ser. Pure Appl. Math. Theoret. Phys., pages 152–156. World Sci. Publ., River Edge, NJ, 1992.

MATHEMATICS DEPARTMENT, STONY BROOK UNIVERSITY, STONY BROOK, NY 11794-3651, USA.

E-mail address: sam@math.sunysb.edu

INSTITUT FÜR MATHEMATIK, GOETHE-UNIVERSITÄT FRANKFURT, ROBERT-MAYER-STR. 6-8 60325 FRANKFURT AM MAIN, GERMANY

E-mail address: moeller@math.uni-frankfurt.de